

Modelo	Metraje	Estructura+Tapizado Tela Cliente+Acabado+Emba					Pág.
		G1	G2	G3	G4	G5	
31nl <i>Capitoné</i>	1,30(1) 1,65(2)	444	453	463	470	503	12
31ar	0,60(1) 0,75(2)	306	314	320	325	352	13
31al	1,10(1) 1,60(2)	305	313	319	324	351	13
31nr	0,65(1) 0,80(2)	376	385	395	402	435	13
31nl	1,15(1) 1,65(2)	384	393	403	410	443	13
1al	1,10(1) 1,60(2)	276	284	290	295	322	14
1ar	0,60(1) 0,75(2)	277	285	291	296	323	14
1nl	1,15(1) 1,65(2)	346	355	365	372	405	14
1nr	0,65(1) 0,80(2)	347	356	366	373	406	14
30al	1,10(1) 1,60(2)	276	284	290	295	322	15
30ar	0,60(1) 0,75(2)	277	285	291	296	323	15
30nl	1,15(1) 1,65(2)	346	355	365	372	405	15
30nr	0,65(1) 0,80(2)	347	356	366	373	406	15
8al	1,10(1) 1,60(2)	284	292	298	303	330	16
8ar	0,60(1) 0,75(2)	285	293	299	304	331	16
8nl	1,15(1) 1,65(2)	363	372	382	389	422	16
8nr	0,65(1) 0,80(2)	355	364	374	381	414	16
29al	1,10(1) 1,60(2)	273	281	287	292	319	17
29ar	0,60(1) 0,75(2)	274	282	288	293	320	17
29nl	1,15(1) 1,65(2)	337	346	356	363	396	17
29nr	0,65(1) 0,80(2)	338	347	357	364	397	17
6al	1,10(1) 1,60(2)	294	302	308	313	340	18
6ar	0,60(1) 0,75(2)	297	305	311	316	343	18
6ab	-	302	311	317	323	344	18
6nb	0	355	365	377	384	421	18
6nl	1,15(1) 1,65(2)	373	382	392	399	432	19
6nr	0,65(1) 0,80(2)	365	374	384	391	424	19
9ar	0,60(1) 0,75(2)	295	303	309	314	341	20
9al	1,10(1) 1,60(2)	294	302	308	313	340	20
9fl	2,2	514	526	540	549	569	20
9fr	0,85	553	565	579	588	608	20
9nr	0,65(1) 0,80(2)	366	375	385	392	425	21
9nl	1,15(1) 1,65(2)	374	383	393	400	433	21
216nl	1,15(1) 1,65(2)	406	415	425	432	465	22

Modelo	Metraje	Estructura+Tapizado Tela Cliente+Acabado+Emba					Pág.
		G1	G2	G3	G4	G5	
216nr	0,65(1) 0,80(2)	398	407	417	424	457	22
216ab	-	328	337	343	349	370	22
216nb	-	387	397	409	416	453	22
216ar	0,60(1) 0,75(2)	328	336	342	347	374	23
216al	1,10(1) 1,60(2)	327	335	341	346	373	23
178nr	0,65(1) 0,80(2)	479	488	498	505	538	24
178nl	1,15(1) 1,65(2)	487	496	506	513	546	24
178ar	0,60(1) 0,75(2)	380	388	394	399	426	25
178al	1,10(1) 1,60(2)	379	387	393	398	425	25
218a	0,60 (1-2)	298	307	313	319	340	26
93a	0,60 (1-2)	243	251	257	262	289	26
232a	1,20(1) 2,10(2)	355	363	369	374	401	27
232n	1,20(1) 2,10(2)	462	471	481	488	521	27
524ar	0,60(1) 0,75(2)	263	271	277	282	309	28
524nr	0,65(1) 0,80(2)	342	351	361	368	401	28
524al	1,10(1) 1,60(2)	260	268	274	279	306	29
524nl	1,15(1) 1,65(2)	348	357	367	374	407	29
97a	0,60(1) 0,75(2)	353	362	368	374	395	30
97n	0,65(1) 0,80(2)	446	456	468	475	512	30
697n	0,60(1) 0,75(2)	430	440	452	459	496	31
697a	0,65(1) 0,80(2)	355	364	370	376	397	31
47n	0,65 (1-2)	351	361	373	380	417	32
47a	0,60 (1-2)	287	296	302	308	329	32
84a	0,60 (1-2)	367	376	382	388	409	33
84n	0,65 (1-2)	425	435	447	454	491	33
141a	0,60(1) 0,75(2)	245	253	259	264	291	34
141n	0,65(1) 0,80(2)	311	320	330	337	370	34
224a	0,60 (1-2)	255	263	269	274	301	34
141d	0,75	547	559	573	582	602	35
146a	0,60 (1-2)	220	228	234	239	266	35
146n	0,65 (1-2)	280	289	299	306	339	35
177al	1,10(1) 1,60(2)	293	301	307	312	339	36
177ar	0,60(1) 0,75(2)	294	302	308	313	340	36
177al Capitoné	1,25(1) 1,60(2)	353	361	367	372	399	36

Modelo	Metraje	Estructura+Tapizado Tela Cliente+Acabado+Emba					Pág.
		G1	G2	G3	G4	G5	
177nl	1,15(1) 1,65(2)	381	390	400	407	440	36
177nr	0,65(1) 0,80(2)	373	382	392	399	432	36
177tb	1,10(1) 1,60(2)	401	410	420	427	460	37
177g	1,15(1) 1,65(2)	573	583	595	602	639	37
177g <i>capitoné</i>	1,30(1) 1,65(2)	633	643	655	662	699	37
177g <i>tacheado</i>	1,15(1) 1,65(2)	633	643	655	662	699	37
206a	0,60(1) 0,75(2)	310	318	324	329	356	38
206n	0,65(1) 0,80(2)	389	398	408	415	448	38
61n	1,15(1) 1,65(2)	391	400	410	417	450	38
61a	1,10(1) 1,60(2)	327	335	341	346	373	38
61a <i>capitoné</i>	1,25(1) 1,60(2)	387	395	401	406	433	39
108a	1,3	297	305	311	316	343	40
108n	1,4	390	399	409	416	449	40
52nr	0,65 (1-2)	251	260	270	277	310	40
52nl	1	256	265	275	282	315	40
667a	1,30(1) 2,00(2)	273	278	282	286	308	41
7nr	0,65(1) 0,80(2)	375	384	394	401	434	42
7nl	1,15(1) 1,65(2)	386	395	405	412	445	42
7ar	0,60(1) 0,75(2)	297	305	311	316	343	42
7ab	-	299	308	314	320	341	42
7al	1,10(1) 1,60(2)	294	302	308	313	340	43
82a	1,10(1) 1,60(2)	294	302	308	313	340	44
82n	1,15(1) 1,65(2)	377	386	396	403	436	44
176a	1,10(1) 1,60(2)	282	290	296	301	328	45
176g	1,15(1) 1,65(2)	563	573	585	592	629	45
176g <i>tacheado</i>	1,15(1) 1,65(2)	623	633	645	652	689	45
176n	1,15(1) 1,65(2)	373	382	392	399	432	45
1908ab	-	282	291	297	303	324	46
1908al	0,9	282	290	296	301	328	46
1908ar	0,60 (1-2)	263	271	277	282	309	46
123nrr	0,75(1) 0,90(2)	330	339	349	356	389	47
123nrt	-	329	339	351	358	395	47
123nsr	1,8	362	371	381	388	421	47
682ar	0,60(1) 0,75(2)	245	253	259	264	291	48

Modelo	Metraje	Estructura+Tapizado Tela Cliente+Acabado+Emba					Pág.
		G1	G2	G3	G4	G5	
682al	1,10(1) 1,60(2)	245	253	259	264	291	48
681al	1,10(1) 1,60(2)	245	253	259	264	291	49
681ar	0,60(1) 0,75(2)	245	253	259	264	291	49
326a	0,60 (1-2)	240	248	254	259	286	50
326n	0,60 (1-2)	297	306	316	323	356	50
306a	1,1	227	235	241	246	273	50
306n	1,1	271	280	290	297	330	50
307a	0,9	225	233	239	244	271	51
347a	0,60 (1-2)	218	226	232	237	264	51
327a	0,60 (1-2)	222	230	236	241	268	51
307n	0,9	281	290	300	307	340	51
327n	0,60 (1-2)	279	288	298	305	338	51
339a	0,60 (1-2)	217	225	231	236	263	52
329a	0,60 (1-2)	209	217	223	228	255	52
309a	0,9	218	226	232	237	264	52
339n	0,60 (1-2)	266	275	285	292	325	52
329n	0,60 (1-2)	259	268	278	285	318	52
309n	0,9	269	278	288	295	328	52
527al	0,60 (1-2)	230	239	245	251	272	53
527ac	0,60 (1-2)	242	251	257	263	284	53
534b-65	0,85	253	258	262	266	288	54
534b-100	0,85	283	289	293	297	325	54
533b-65	0,6	213	219	223	227	255	54
533b-100	0,6	224	230	234	238	266	54
87b-65	0,8	217	222	226	230	252	54
87b-105	0,8	251	257	261	265	293	54
526b-100	0,7	349	364	373	383	404	55
526b-65	0,7	319	331	340	348	371	55
89b-65	0,8	217	222	226	230	252	55
89b-105	0,8	251	257	261	265	293	55
118bc	0,8	273	279	283	287	315	56
118bl	0,8	297	303	307	311	339	56
118bcr	0	245	251	255	259	287	56
118blr	0	274	280	284	288	316	56
680b-65	0,50 (1-2)	182	188	192	196	224	57
680b-100	0,5	212	218	222	226	254	57
86d <i>Cojín asiento</i>	6	933	947	963	973	1044	58
86d <i>Asiento fijo</i>	5	933	947	963	973	1044	58

Modelo	Metraje	Estructura+Tapizado Tela Cliente+Acabado+Emba					Pág.
		G1	G2	G3	G4	G5	
86d <i>Cojines Capitoné</i>	6,5	1153	1167	1183	1193	1264	58
86n <i>Cojín asiento</i>	3,5	568	578	590	597	634	58
86n <i>Asiento fijo</i>	3	568	578	590	597	634	58
86n <i>Cojines Capitoné</i>	3,75	678	688	700	707	744	59
86b-100	0,8	429	435	439	443	471	59
86b-70	0,9	356	361	365	369	391	59
95f	2,1	683	695	709	718	738	60
95n	1,05(1) 1,60(2)	435	444	454	461	494	61
87f	2,1	510	522	536	545	565	60
87n	1,05(1) 1,60(2)	373	382	392	399	432	61
120d	2,5	805	819	835	845	916	62
120nr	1,75	665	675	687	694	731	62
120nrt	0	542	552	576	593	622	62
120n	1,7	541	551	563	570	607	63
57d	8	1017	1031	1047	1057	1128	64
57f	10,5	1340	1357	1378	1390	1457	64
59n	4,75	710	720	732	739	776	64
59d	-	1053	1067	1083	1093	1164	64
59f	-	1419	1436	1457	1469	1536	64
59p	1,9	354	359	363	367	389	65
57n	4,5	665	675	687	694	731	65
58n	4,75	610	615	619	623	645	65
57b	0,8	225	230	234	238	260	65
57p	1,9	358	363	367	371	393	65
112n	3,75	756	766	790	807	836	66
112d	7	1161	1175	1191	1201	1272	67
112f	9	1561	1578	1618	1641	1678	67
195d	10	1063	1077	1093	1103	1174	68
195n	4,25	607	617	629	636	673	68
195b	1,9	363	368	372	376	398	68
195nrl	4,25	676	686	710	727	756	69
42n <i>Cojín Asiento</i>	3,3	558	568	580	587	624	70
42n <i>Asiento fijo, capitoné</i>	3	598	608	620	627	664	70
42nrl	2,3	529	539	563	580	609	70
789n	3,75	585	595	607	614	651	71
789n <i>Capitoné</i>	4	685	695	707	714	751	71
89bc	0,60 (1-2)	192	197	201	205	227	71
88n	3	545	555	567	574	611	72

Modelo	Metraje	Estructura+Tapizado Tela Cliente+Acabado+Embe					Pág.
		G1	G2	G3	G4	G5	
87bc	0,60 (1-2)	192	197	201	205	227	72
88d	6	932	946	962	972	1043	72
227n	3,5	608	618	630	637	674	73
227p	1,9	372	377	381	385	407	73
394n <i>fijo</i>	4,25	490	500	512	519	556	74
394n <i>Cojín Asiento</i>	4,75	570	580	592	599	636	74
144n	4	643	653	665	672	709	75
144p	1,9	363	368	372	376	398	75
26n	3,75	681	691	703	710	747	75
235n	5,1	652	662	674	681	718	76
235b	1,9	367	372	376	380	402	76
246n	5	716	726	738	745	782	76
246p	1,9	372	377	381	385	407	76
249n	5	722	732	744	751	788	77
250n	5	686	696	708	715	752	77
190n-c <i>Capitoné</i>	3,2	471	475	479	481	500	78
190n-c <i>liso</i>	3	351	355	359	361	380	78
190n-t <i>Capitoné</i>	3,2	471	475	479	481	500	78
190n,t <i>liso</i>	3	351	355	359	361	380	78
189n <i>liso</i>	2,7	344	348	352	354	373	79
189n <i>Capitoné</i>	2,9	464	468	472	474	493	79
188d	3,8	547	551	555	557	576	80
694f-130	3,2	575	579	583	585	604	80
188n	2,5	340	344	348	350	369	81
694n	2	365	369	373	375	394	81
330n	1,4(1) 2,10(2)	378	386	392	397	424	82
140n	4,75	520	524	528	530	549	82
140b	1,2	209	213	217	219	238	82
92n <i>Capitoné</i>	5	651	655	659	661	680	83
92n <i>Liso</i>	4,75	531	535	539	541	560	83
92d	8	764	768	772	774	793	83
92b	1,2	219	223	227	229	248	83
217n	3,5	702	712	736	753	782	84
32n	4,3	596	606	618	625	662	84
506d	8,5	1107	1121	1137	1147	1218	84
63f <i>Capitoné</i>	10,5	1843	1860	1900	1923	1960	85
63f <i>liso</i>	10	1723	1740	1780	1803	1840	85

Modelo	Metraje	Estructura+Tapizado Tela Cliente+Acabado+Emba					Pág.
		G1	G2	G3	G4	G5	
78f Capitoné	11	2177	2194	2234	2257	2294	85
78f Liso	10,5	2057	2074	2114	2137	2174	85
63n Capitoné	5,5	997	1007	1031	1048	1077	86
63n liso	5,2	917	927	951	968	997	86
78n Capitoné	5,5	1261	1271	1295	1312	1341	87
78n Liso	5,8	1181	1191	1215	1232	1261	87
78c-110	-	756	777	791	804	848	86
78c-70	-	716	737	751	764	808	86
319m-ct	-	606	627	641	654	698	88
319m-tt	-	570	591	605	618	662	88
320m-ct	-	606	627	641	654	698	88
320m-tt	-	570	591	605	618	662	88
251c72b	-	248	257	264	270	290	89
251c72r	-	288	297	304	310	330	89
252c50b	-	216	225	232	238	258	89
253c96b	-	263	272	279	285	305	89
130cr	-	304	313	320	326	346	89
130cb	-	265	274	281	287	307	89
683co-140	-	466	481	490	500	521	90
683co-140 + 683ba-140	-	525	541	552	562	582	90
683co-100	-	423	438	447	457	478	90
683co-100 + 683ba-100	-	475	491	502	512	532	90
383m47	-	762	793	818	849	895	91
351m47 + pies G1	-	494	525	550	581	627	92
351m47 + pies G2	-	537	568	593	624	670	92
351m75 + pies G1	-	663	694	719	750	796	92
351m75 + pies G2	-	706	737	762	793	839	92
351m90 + pies G1	-	760	791	816	847	893	92
351m90 + pies G2	-	717	748	773	804	850	92
382m47 + pies G3	-	636	667	692	723	769	93
382m47 + pies G4	-	679	710	735	766	812	93
535me + PC	-	1074	1116	1144	1172	1245	94
535me + PT	-	1074	1116	1144	1172	1245	94

Modelo	Metraje	Estructura+Tapizado Tela Cliente+Acabado+Emba					Pág.
		G1	G2	G3	G4	G5	
528m-150 + PT	-	544	569	586	602	641	95
528m-150 +PC	-	544	569	586	602	641	95
528m-90 + PT	-	410	427	439	450	484	95
528m-90 +PC	-	410	427	439	450	484	95
mrl-115	-	1184	1221	1245	1269	1317	96
mrl-180	-	1354	1404	1437	1471	1513	96
Coral-130 + Pies 7c	-	1347	1397	1430	1464	1506	97
Coral-130 + Pies 3t	-	1347	1397	1430	1464	1506	97
Coral-130 + Pies 4t	-	1375	1425	1458	1492	1534	97
Coral-140 + Pies 7c	-	1351	1401	1434	1468	1510	97
Coral-140 + Pies 3t	-	1351	1401	1434	1468	1510	97
Coral-140 + Pies 4t	-	1379	1429	1462	1496	1538	97
Coral-165 + Pies 7c	-	1370	1420	1453	1487	1529	97
Coral-165 + Pies 3t	-	1370	1420	1453	1487	1529	97
Coral-165 + Pies 4t	-	1398	1448	1481	1515	1557	97
ctl-1	-	344	344	344	344	344	98
ctr-1	-	392	392	392	392	392	98
cp-1	-	254	254	254	254	254	98
ctl-2	-	600	600	600	600	600	98
ctr-2	-	720	720	720	720	720	98
cp-2	-	454	454	454	454	454	98
rob	-	36	36	36	36	36	98
nog	-	85	85	85	85	85	98
lup	-	175	175	175	175	175	98
fil	-	32	32	32	32	32	98
4pies	-	259	259	259	259	259	98
pm-90-110	0	186	217	242	273	319	98
pm-115-135	0	244	281	305	329	377	98
pm-140-180	0	334	384	417	451	493	98
te-180	-	939	989	1022	1056	1098	98
te-165	-	897	947	980	1014	1056	98
te-140	-	876	926	959	993	1035	98
te-130	-	743	780	804	828	876	98
tp-180	-	845	895	928	962	1004	98
tp-165	-	838	888	921	955	997	98
tp-140	-	829	879	912	946	988	98
trc-180	-	856	906	939	973	1015	98
trc-160	-	849	899	932	966	1008	98

Modelo	Metraje	Estructara+Tapizado TelaCliente+Acabado+Embe					Pág.
		G1	G2	G3	G4	G5	
<u>trc-140</u>	-	842	892	925	959	1001	98
<u>trd-120</u>	-	705	742	766	790	838	98
<u>trd-115</u>	-	653	690	714	738	786	98
<u>trd-110</u>	-	586	617	642	673	719	98
<u>trd-100</u>	-	578	609	634	665	711	98
<u>trd-90</u>	-	571	602	627	658	704	98
<u>mrd-04-90</u>	0	836	867	892	923	969	100
<u>mrd-04-100</u>	0	843	874	899	930	976	100
<u>mrd-04-110</u>	0	851	882	907	938	984	100
<u>mrd-04-115</u>	0	918	955	979	1003	1051	100
<u>mrd-04-120</u>	0	970	1007	1031	1055	1103	100
<u>me-01-130</u>	0	1200	1237	1261	1285	1333	101
<u>me-01-140</u>	0	1333	1383	1416	1450	1492	101
<u>me-02-165</u>	0	1610	1660	1693	1727	1769	101
<u>me-02-180</u>	0	1652	1702	1735	1769	1811	101
<u>mrd-01-90</u>	0	1134	1165	1190	1221	1267	101
<u>mrd-01-100</u>	0	1141	1172	1197	1228	1274	101
<u>mrd-01-110</u>	0	1149	1180	1205	1236	1282	101
<u>mrd-01-115</u>	0	1216	1253	1277	1301	1349	101
<u>mrd-01-120</u>	0	1268	1305	1329	1353	1401	101
<u>mrc-02-140</u>	0	1438	1488	1521	1555	1597	102
<u>mrc-02-160</u>	0	1445	1495	1528	1562	1604	102
<u>mrc-02-180</u>	0	1452	1502	1535	1569	1611	102
<u>mrc-04-140</u>	0	1175	1225	1258	1292	1334	102
<u>mrc-04-160</u>	0	1182	1232	1265	1299	1341	102
<u>mrc-04-180</u>	0	1189	1239	1272	1306	1348	102
<u>mp-02L-140</u>	0	1425	1475	1508	1542	1584	103
<u>mp-02L-165</u>	0	1434	1484	1517	1551	1593	103
<u>mp-02L-180</u>	-	1441	1491	1524	1558	1600	103
<u>mp-05R-140</u>	-	1545	1595	1628	1662	1704	103
<u>mp-05R-165</u>	-	1554	1604	1637	1671	1713	103
<u>mp-05R-180</u>	-	1561	1611	1644	1678	1720	103
<u>mp-03P-140</u>	-	1454	1504	1537	1571	1613	103
<u>mp-03P-165</u>	-	1463	1513	1546	1580	1622	103
<u>mp-03P-180</u>	-	1470	1520	1553	1587	1629	103
<u>701m-120</u>	-	1130	1180	1213	1247	1289	104
<u>701m-140</u>	-	1146	1196	1229	1263	1305	104
<u>699m-130</u>	-	1040	1077	1101	1125	1173	104
<u>699m-150</u>	-	1146	1196	1229	1263	1305	104
<u>698m-140-pch</u>	-	1413	1463	1496	1530	1572	105
<u>698m-140-pdsp</u>	-	1426	1476	1509	1543	1585	105
<u>141m1</u>	-	283	295	304	312	335	106
<u>141m2</u>	-	340	355	364	374	395	106
<u>141m3</u>	-	394	410	421	431	451	106
<u>141x</u>	-	897	939	967	995	1068	106

Modelo	Metraje	Estructura+Tapizado Tela Cliente+Acabado+Emba					Pág.
		G1	G2	G3	G4	G5	
141k	-	865	907	935	963	1036	106
113ca90t	1	412	424	432	440	465	107
113ca105t	1	435	447	455	463	488	107
113ca135t	1	501	517	528	539	566	107
113ca150t	2	500	516	527	538	565	107
113ca160t	2	509	525	536	547	574	107
113ca180t	2	594	610	621	632	659	107
113ca200t	2	684	700	711	722	749	107
113ca90r	-	355	367	375	383	408	107
113ca105r	-	375	387	395	403	428	107
113ca135r	-	437	453	464	475	502	107
113ca150r	-	432	448	459	470	497	107
113ca160r	-	444	460	471	482	509	107
113ca180r	-	527	543	554	565	592	107
113ca200r	-	615	631	642	653	680	107
112m1	-	305	317	326	334	357	108
112m2	-	362	377	386	396	417	108
112m3	-	425	441	452	462	482	108
112x	-	935	977	1005	1033	1106	108
112k	-	903	945	973	1001	1074	108
112ca90t	1	423	435	443	451	476	109
112ca105t	1	445	457	465	473	498	109
112ca135t	1	506	522	533	544	571	109
112ca150t	2	516	532	543	554	581	109
112ca160t	2	519	535	546	557	584	109
112ca180t	2	605	621	632	643	670	109
112ca200t	2	699	715	726	737	764	109
112ca90r	-	366	378	386	394	419	109
112ca105r	-	386	398	406	414	439	109
112ca135r	-	443	459	470	481	508	109
112ca150r	-	448	464	475	486	513	109
112ca160r	-	455	471	482	493	520	109
112ca180r	-	538	554	565	576	603	109
112ca200r	-	628	644	655	666	693	109
88m1	-	287	299	308	316	339	110
88m2	-	344	359	368	378	399	110
88m3	-	398	414	425	435	455	110
88x	-	908	950	978	1006	1079	110
88k	-	876	918	946	974	1047	110
88ca90t	1	368	380	388	396	421	111
88ca105t	1	376	388	396	404	429	111
88ca135t	1	423	439	450	461	488	111
88ca150t	2	432	448	459	470	497	111
88ca160t	2	438	454	465	476	503	111
88ca180t	2	511	527	538	549	576	111
88ca200t	2	580	596	607	618	645	111
88ca90r	-	350	362	370	378	403	111

Modelo	Metraje	Estructara+Tapizado TelaCliente+Acabado+Emba					Pág.
		G1	G2	G3	G4	G5	
<u>88ca105r</u>	-	355	367	375	383	408	111
<u>88ca135r</u>	-	408	424	435	446	473	111
<u>88ca150r</u>	-	421	437	448	459	486	111
<u>88ca160r</u>	-	424	440	451	462	489	111
<u>88ca180r</u>	-	491	507	518	529	556	111
<u>88ca200r</u>	-	569	585	596	607	634	111
<u>195m1</u>	-	287	299	308	316	339	112
<u>195m2</u>	-	344	359	368	378	399	112
<u>195m3</u>	-	398	414	425	435	455	112
<u>195x</u>	-	908	950	978	1006	1079	112
<u>195k</u>	-	876	918	946	974	1047	112
<u>195ca90t</u>	1	360	372	380	388	413	113
<u>195ca105t</u>	1	366	378	386	394	419	113
<u>195ca135t</u>	1	416	432	443	454	481	113
<u>195ca150t</u>	2	426	442	453	464	491	113
<u>195ca160t</u>	2	433	449	460	471	498	113
<u>195ca180t</u>	2	518	534	545	556	583	113
<u>195ca200t</u>	2	591	607	618	629	656	113
<u>195ca90t-c</u>	1,2	448	460	468	476	501	113
<u>195ca105t-c</u>	1,2	468	480	488	496	521	113
<u>195ca135t-c</u>	2,1	532	548	559	570	597	113
<u>195ca150t-c</u>	2,2	570	586	597	608	635	113
<u>195ca160t-c</u>	2,2	605	621	632	643	670	113
<u>195ca180t-c</u>	2,3	718	734	745	756	783	113
<u>195ca200t-c</u>	2,3	819	835	846	857	884	113
<u>195ca90r</u>	-	307	319	327	335	360	113
<u>195ca105r</u>	-	310	322	330	338	363	113
<u>195ca135r</u>	-	369	385	396	407	434	113
<u>195ca150r</u>	-	372	388	399	410	437	113
<u>195ca160r</u>	-	378	394	405	416	443	113
<u>195ca180r</u>	-	453	469	480	491	518	113
<u>195ca200r</u>	-	523	539	550	561	588	113
<u>515cm90t</u>	1	839	865	882	899	928	114
<u>515cm105t</u>	1	857	883	900	917	946	114
<u>515cm135t</u>	1	952	985	1006	1028	1083	114
<u>515cm140t</u>	2	974	1007	1028	1050	1105	114
<u>515cm150t</u>	2	1015	1048	1069	1091	1146	114
<u>515cm160t</u>	2	1056	1089	1110	1132	1187	114
<u>515cm180t</u>	2	1112	1145	1166	1188	1243	114
<u>515cm200t</u>	2	1176	1209	1230	1252	1307	114
<u>515cm90r</u>	-	776	802	819	836	865	114
<u>515cm105r</u>	-	791	817	834	851	880	114
<u>515cm135r</u>	-	895	928	949	971	1026	114
<u>515cm140r</u>	-	920	953	974	996	1051	114
<u>515cm150r</u>	-	959	992	1013	1035	1090	114
<u>515cm160r</u>	-	1000	1033	1054	1076	1131	114
<u>515cm180r</u>	-	1052	1085	1106	1128	1183	114

Modelo	Metraje	Estructura+Tapizado Tela Cliente+Acabado+Emba					Pág.
		G1	G2	G3	G4	G5	
<u>515cm200r</u>	-	1109	1142	1163	1185	1240	114
<u>501m2</u>	-	363	378	387	397	418	114
<u>515ca90t</u>	1	417	429	437	445	470	115
<u>515ca105t</u>	1	434	446	454	462	487	115
<u>515ca135t</u>	1	497	513	524	535	562	115
<u>515ca140t</u>	2	518	534	545	556	583	115
<u>515ca150t</u>	2	536	552	563	574	601	115
<u>515ca160t</u>	2	575	591	602	613	640	115
<u>515ca180t</u>	2	608	624	635	646	673	115
<u>515ca200t</u>	2	650	666	677	688	715	115
<u>515ca90r</u>	-	353	365	373	381	406	115
<u>515ca105r</u>	-	368	380	388	396	421	115
<u>515ca135r</u>	-	439	455	466	477	504	115
<u>515ca140r</u>	-	462	478	489	500	527	115
<u>515ca150r</u>	-	478	494	505	516	543	115
<u>515ca160r</u>	-	518	534	545	556	583	115
<u>515ca180r</u>	-	547	563	574	585	612	115
<u>515ca200r</u>	-	581	597	608	619	646	115
<u>221m1</u>	-	317	329	338	346	369	116
<u>221m3</u>	-	428	444	455	465	485	116
<u>221x</u>	-	921	963	991	1019	1092	116
<u>221k</u>	-	888	930	958	986	1059	116
<u>221ca90t</u>	1	463	479	490	500	524	117
<u>221ca105t</u>	1	482	498	509	519	543	117
<u>221ca140t</u>	1	527	546	559	571	605	117
<u>221ca150t</u>	2	549	568	581	593	627	117
<u>221ca160t</u>	2	560	579	592	604	638	117
<u>221ca180t</u>	2	617	636	649	661	695	117
<u>221ca200t</u>	2	668	687	700	712	746	117
<u>221ca90b</u>	-	401	417	428	438	462	117
<u>221ca105b</u>	-	417	433	444	454	478	117
<u>221ca140b</u>	-	458	477	490	502	536	117
<u>221ca150b</u>	-	475	494	507	519	553	117
<u>221ca160b</u>	-	485	504	517	529	563	117
<u>221ca180b</u>	-	532	551	564	576	610	117
<u>221ca200b</u>	-	584	603	616	628	662	117
<u>221ca90r</u>	-	442	458	469	479	503	117
<u>221ca105r</u>	-	469	485	496	506	530	117
<u>221ca140r</u>	-	525	544	557	569	603	117
<u>221ca150r</u>	-	552	571	584	596	630	117
<u>221ca160r</u>	-	563	582	595	607	641	117
<u>221ca180r</u>	-	620	639	652	664	698	117
<u>221ca200r</u>	-	712	731	744	756	790	117
<u>221cm90t</u>	3	1118	1152	1175	1198	1220	118
<u>221cm105t</u>	3	1151	1185	1208	1231	1253	118
<u>221cm140t</u>	3	1211	1249	1274	1299	1367	118
<u>221cm150t</u>	4	1251	1289	1314	1339	1407	118

Modelo	Metraje	Estructura+Tapizado Tela Cliente+Acabado+Emba					Pág.
		G1	G2	G3	G4	G5	
<u>221cm160t</u>	4	1282	1320	1345	1370	1438	118
<u>221cm180t</u>	4	1403	1441	1466	1491	1559	118
<u>221cm200t</u>	4	1504	1542	1567	1592	1660	118
<u>221cm90b</u>	-	940	974	997	1020	1042	118
<u>221cm105b</u>	-	967	1001	1024	1047	1069	118
<u>221cm140b</u>	-	1015	1053	1078	1103	1171	118
<u>221cm150b</u>	-	1042	1080	1105	1130	1198	118
<u>221cm160b</u>	-	1073	1111	1136	1161	1229	118
<u>221cm180b</u>	-	1167	1205	1230	1255	1323	118
<u>221cm200b</u>	-	1244	1282	1307	1332	1400	118
<u>221cm90r</u>	-	1023	1057	1080	1103	1125	118
<u>221cm105r</u>	-	1071	1105	1128	1151	1173	118
<u>221cm140r</u>	-	1148	1186	1211	1236	1304	118
<u>221cm150r</u>	-	1197	1235	1260	1285	1353	118
<u>221cm160r</u>	-	1228	1266	1291	1316	1384	118
<u>221cm180r</u>	-	1343	1381	1406	1431	1499	118
<u>221cm200r</u>	-	1458	1496	1521	1546	1614	118
<u>tir02</u>	-	6	6	6	6	6	119
<u>tir03</u>	-	6	6	6	6	6	119
<u>tir04</u>	-	6	6	6	6	6	119
<u>tir05</u>	-	6	6	6	6	6	119
<u>tir06</u>	-	9	9	9	9	9	119
<u>tir07</u>	-	9	9	9	9	9	119
<u>tir08</u>	-	7	7	7	7	7	119
<u>tir09</u>	-	7	7	7	7	7	119
<u>tir10</u>	-	9	9	9	9	9	119
<u>tir11</u>	-	7	7	7	7	7	119
<u>tir12</u>	-	5	5	5	5	5	119
<u>tir14</u>	-	7	7	7	7	7	119
<u>540ap</u>	-	1510	1552	1580	1608	1681	120
<u>539k</u>	-	1295	1337	1365	1393	1466	120
<u>556ap</u>	-	1509	1551	1579	1607	1680	121
<u>557vi</u>	-	1478	1530	1565	1600	1682	122
<u>558ve</u>	-	2037	2087	2124	2161	1835	123
<u>738ca150</u>	0	2135	2156	2176	2209	2279	NOVEDADES
<u>738ca160</u>	0	2135	2156	2176	2209	2279	
<u>738ca180</u>	0	2407	2434	2460	2502	2591	
<u>738ca200</u>	0	2407	2434	2460	2502	2591	
<u>738cm150</u>	0	3781	3817	3851	3906	4022	
<u>738cm160</u>	0	3781	3817	3851	3906	4022	
<u>738cm180</u>	0	4166	4207	4246	4309	4442	
<u>738cm200</u>	0	4166	4207	4246	4309	4442	
<u>738m2</u>	-	421	436	445	455	476	
<u>390a</u>	1,10(1) 1,60(2)	288	296	302	307	334	
<u>390n</u>	1,15(1) 1,65(2)	356	365	375	382	415	
<u>216tb</u>	1,10(1) 1,60(2)	401	410	420	427	460	