

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b>1al</b>	1,10(1) 1,60(2)	276	284	290	295	322	13
<b>1ar</b>	0,60(1) 0,75(2)	277	285	291	296	323	13
<b>1nl</b>	1,15(1) 1,65(2)	346	355	365	372	405	16
<b>1nr</b>	0,65(1) 0,80(2)	347	356	366	373	406	16
<b>4pies</b>	-	259	259	259	259	259	0
<b>6ab</b>	-	302	311	317	323	344	13
<b>6al</b>	1,10(1) 1,60(2)	294	302	308	313	340	13
<b>6ar</b>	0,60(1) 0,75(2)	297	305	311	316	343	13
<b>6nb</b>	0	355	365	377	384	421	16
<b>6nl</b>	1,15(1) 1,65(2)	373	382	392	399	432	16
<b>6nr</b>	0,65(1) 0,80(2)	365	374	384	391	424	16
<b>7ab</b>	-	299	308	314	320	341	13
<b>7al</b>	1,10(1) 1,60(2)	294	302	308	313	340	13
<b>7ar</b>	0,60(1) 0,75(2)	297	305	311	316	343	13
<b>7nl</b>	1,15(1) 1,65(2)	386	395	405	412	445	16
<b>7nr</b>	0,65(1) 0,80(2)	375	384	394	401	434	16
<b>8al</b>	1,10(1) 1,60(2)	284	292	298	303	330	13
<b>8ar</b>	0,60(1) 0,75(2)	285	293	299	304	331	13
<b>8nl</b>	1,15(1) 1,65(2)	363	372	382	389	422	16
<b>8nr</b>	0,65(1) 0,80(2)	355	364	374	381	414	16
<b>9al</b>	1,10(1) 1,60(2)	294	302	308	313	340	13
<b>9ar</b>	0,60(1) 0,75(2)	295	303	309	314	341	13
<b>9fl</b>	2,2	514	526	540	549	569	23
<b>9fr</b>	0,85	553	565	579	588	608	23
<b>9nl</b>	1,15(1) 1,65(2)	374	383	393	400	433	16
<b>9nr</b>	0,65(1) 0,80(2)	366	375	385	392	425	16
<b>29nr</b>	0,65(1) 0,80(2)	338	347	357	364	397	16
<b>30al</b>	1,10(1) 1,60(2)	276	284	290	295	322	13
<b>30ar</b>	0,60(1) 0,75(2)	277	285	291	296	323	13
<b>30nl</b>	1,15(1) 1,65(2)	346	355	365	372	405	16
<b>30nr</b>	0,65(1) 0,80(2)	347	356	366	373	406	16
<b>31al</b>	1,10(1) 1,60(2)	305	313	319	324	351	13
<b>31ar</b>	0,60(1) 0,75(2)	306	314	320	325	352	13
<b>31nl</b>	1,15(1) 1,65(2)	384	393	403	410	443	16
<b>31nl Capitoné</b>	1,30(1) 1,65(2)	444	453	463	470	503	16
<b>31nr</b>	0,65(1) 0,80(2)	376	385	395	402	435	16

del 1 al 31

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b><u>42n</u></b> <b><u>Asiento fijo,</u></b> <b><u>capitoné</u></b>	3	598	608	620	627	664	20
<b><u>42n</u></b> <b><u>Cojin Asiento</u></b>	3,3	558	568	580	587	624	20
<b><u>42nrl</u></b>	2,3	414	424	448	465	494	20
<b><u>47a</u></b>	0,60 (1-2)	287	296	302	308	329	13
<b><u>47n</u></b>	0,65 (1-2)	351	361	373	380	417	16
<b><u>52nl</u></b>	1	256	265	275	282	315	16
<b><u>52nr</u></b>	0,65 (1-2)	251	260	270	277	310	16
<b><u>57b</u></b>	0,8	225	230	234	238	260	9
<b><u>57d</u></b>	8	1017	1031	1047	1057	1128	34
<b><u>57f</u></b>	10,5	1340	1357	1378	1390	1457	41
<b><u>57n</u></b>	4,5	665	675	687	694	731	20
<b><u>57p</u></b>	1,9	358	363	367	371	393	13
<b><u>58n</u></b>	4,75	610	615	619	623	645	20
<b><u>59d</u></b>	-	1053	1067	1083	1093	1164	34
<b><u>59f</u></b>	-	1419	1436	1457	1469	1536	41
<b><u>59n</u></b>	4,75	710	720	732	739	776	20
<b><u>59p</u></b>	1,9	354	359	363	367	389	13
<b><u>61a</u></b>	1,10(1) 1,60(2)	327	335	341	346	373	13
<b><u>61a</u></b> <b><u>capitoné</u></b>	1,25(1) 1,60(2)	387	395	401	406	433	13
<b><u>61n</u></b>	1,15(1) 1,65(2)	391	400	410	417	450	16
<b><u>63f</u></b> <b><u>Capitoné</u></b>	10,5	1843	1860	1900	1923	1960	36
<b><u>63f</u></b> <b><u>liso</u></b>	10	1723	1740	1780	1803	1840	36
<b><u>63n</u></b> <b><u>Capitoné</u></b>	5,5	997	1007	1031	1048	1077	20
<b><u>63n</u></b> <b><u>liso</u></b>	5,2	917	927	951	968	997	20
<b><u>78c-110</u></b>	-	756	777	791	804	848	20
<b><u>78c-70</u></b>	-	716	737	751	764	808	20
<b><u>78f</u></b> <b><u>Capitoné</u></b>	11	2177	2194	2234	2257	2294	36
<b><u>78f</u></b> <b><u>Liso</u></b>	10,5	2057	2074	2114	2137	2174	36
<b><u>78n</u></b> <b><u>Capitoné</u></b>	5,5	1261	1271	1295	1312	1341	20
<b><u>78n</u></b> <b><u>Liso</u></b>	5,8	1181	1191	1215	1232	1261	20

del 42 al 78

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b>82a</b>	1,10(1) 1,60(2)	294	302	308	313	340	13
<b>82n</b>	1,15(1) 1,65(2)	377	386	396	403	436	16
<b>84a</b>	0,60 (1-2)	367	376	382	388	409	13
<b>84n</b>	0,65 (1-2)	425	435	447	454	491	16
<b>86b-100</b>	0,8	429	435	439	443	471	13
<b>86b-70</b>	0,9	356	361	365	369	391	13
<b>86d</b> <b>Asiento fijo</b>	5	933	947	963	973	1044	34
<b>86d</b> <b>Cojín asiento</b>	6	933	947	963	973	1044	34
<b>86d</b> <b>Cojines</b> <b>Capitoné</b>	6,5	1153	1167	1183	1193	1264	34
<b>86n</b> <b>Asiento fijo</b>	3	568	578	590	597	634	20
<b>86n</b> <b>Cojín asiento</b>	3,5	568	578	590	597	634	20
<b>86n</b> <b>Cojines</b> <b>Capitoné</b>	3,75	678	688	700	707	744	20
<b>87b-105</b>	0,8	251	257	261	265	293	13
<b>87b-65</b>	0,8	217	222	226	230	252	13
<b>87bc</b>	0,60 (1-2)	192	197	201	205	227	9
<b>87f</b>	2,1	510	522	536	545	565	23
<b>87n</b>	1,05(1) 1,60(2)	373	382	392	399	432	20
<b>88ca105r</b>	-	355	367	375	383	408	22
<b>88ca105t</b>	1	376	388	396	404	429	22
<b>88ca135r</b>	-	408	424	435	446	473	22
<b>88ca135t</b>	1	423	439	450	461	488	22
<b>88ca150r</b>	-	421	437	448	459	486	22
<b>88ca150t</b>	2	432	448	459	470	497	22
<b>88ca160r</b>	-	424	440	451	462	489	22
<b>88ca160t</b>	2	438	454	465	476	503	22
<b>88ca180r</b>	-	491	507	518	529	556	22
<b>88ca180t</b>	2	511	527	538	549	576	22
<b>88ca200r</b>	-	569	585	596	607	634	22
<b>88ca200t</b>	2	580	596	607	618	645	22
<b>88ca90r</b>	-	350	362	370	378	403	22
<b>88ca90t</b>	1	368	380	388	396	421	22

del 82 al 88

<u>Modelo</u>	Metraje	<u>Estructura+Tapizado con tela cliente+Acabado+Embalaje</u>					<u>Pág.</u>
		G1	G2	G3	G4	G5	
<u>88d</u>	6	932	946	962	972	1043	34
<u>88k</u>	-	876	918	946	974	1047	29
<u>88m1</u>	-	287	299	308	316	339	13
<u>88m2</u>	-	344	359	368	378	399	13
<u>88m3</u>	-	398	414	425	435	455	13
<u>88n</u>	3	545	555	567	574	611	20
<u>88x</u>	-	908	950	978	1006	1079	29
<u>89b-105</u>	0,8	251	257	261	265	293	13
<u>89b-65</u>	0,8	217	222	226	230	252	13
<u>89bc</u>	0,60 (1-2)	192	197	201	205	227	13
<u>92b</u>	1,2	219	223	227	229	248	9
<u>92d</u>	8	764	768	772	774	793	34
<u>92n</u> <b>Capitoné</b>	5	651	655	659	661	680	20
<u>92n</u> <b>Liso</b>	4,75	531	535	539	541	560	20
<u>93a</u>	0,60 (1-2)	243	251	257	262	289	13
<u>95f</u>	2,1	683	695	709	718	738	23
<u>95n</u>	1,05(1) 1,60(2)	435	444	454	461	494	16
<u>97a</u>	0,60(1) 0,75(2)	353	362	368	374	395	13
<u>97n</u>	0,65(1) 0,80(2)	446	456	468	475	512	16
<u>112ca160t</u>	2	519	535	546	557	584	22
<u>112ca180r</u>	-	538	554	565	576	603	22
<u>112ca180t</u>	2	605	621	632	643	670	22
<u>112ca200r</u>	-	628	644	655	666	693	22
<u>112ca200t</u>	2	699	715	726	737	764	22
<u>112ca90r</u>	-	366	378	386	394	419	22
<u>112ca90t</u>	1	423	435	443	451	476	22
<u>112d</u>	7	1161	1175	1191	1201	1272	34
<u>112f</u>	9	1561	1578	1618	1641	1678	41
<u>112k</u>	-	903	945	973	1001	1074	29
<u>112m1</u>	-	305	317	326	334	357	13
<u>112m2</u>	-	362	377	386	396	417	13
<u>112m3</u>	-	425	441	452	462	482	13
<u>112n</u>	3,75	756	766	790	807	836	20
<u>112x</u>	-	935	977	1005	1033	1106	29

del 88 al 112

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b>113ca105r</b>	-	375	387	395	403	428	22
<b>113ca105t</b>	1	435	447	455	463	488	22
<b>113ca135r</b>	-	437	453	464	475	502	22
<b>113ca135t</b>	1	501	517	528	539	566	22
<b>113ca150r</b>	-	432	448	459	470	497	22
<b>113ca150t</b>	2	500	516	527	538	565	22
<b>113ca160r</b>	-	444	460	471	482	509	22
<b>113ca160t</b>	2	509	525	536	547	574	22
<b>113ca180r</b>	-	527	543	554	565	592	22
<b>113ca180t</b>	2	594	610	621	632	659	22
<b>113ca200r</b>	-	615	631	642	653	680	22
<b>113ca200t</b>	2	684	700	711	722	749	22
<b>113ca90r</b>	-	355	367	375	383	408	22
<b>113ca90t</b>	1	412	424	432	440	465	22
<b>118bc</b>	0,8	273	279	283	287	315	13
<b>118bcr</b>	0	245	251	255	259	287	13
<b>118bl</b>	0,8	297	303	307	311	339	13
<b>118blr</b>	0	274	280	284	288	316	13
<b>120d</b>	2,5	805	819	835	845	916	34
<b>120n</b>	1,7	541	551	563	570	607	20
<b>120nr</b>	1,75	665	675	687	694	731	20
<b>120nrt</b>	0	542	552	576	593	622	20
<b>123nrr</b>	0,75(1) 0,90(2)	330	339	349	356	389	16
<b>123nrt</b>	-	329	339	351	358	395	16
<b>123nsr</b>	1,8	362	371	381	388	421	16
<b>130cb</b>	-	265	274	281	287	307	20
<b>130cr</b>	-	304	313	320	326	346	20
<b>140b</b>	1,2	209	213	217	219	238	9
<b>140n</b>	4,75	520	524	528	530	549	20
<b>141a</b>	0,60(1) 0,75(2)	245	253	259	264	291	13
<b>141d</b>	0,75	547	559	573	582	602	34
<b>141k</b>	-	865	907	935	963	1036	29
<b>141m1</b>	-	283	295	304	312	335	13
<b>141m2</b>	-	340	355	364	374	395	13
<b>141m3</b>	-	394	410	421	431	451	13
<b>141n</b>	0,65(1) 0,80(2)	311	320	330	337	370	16
<b>141x</b>	-	897	939	967	995	1068	29
<b>144n</b>	4	643	653	665	672	709	20
<b>144p</b>	1,9	363	368	372	376	398	13
<b>146a</b>	0,60 (1-2)	220	228	234	239	266	13
<b>146n</b>	0,65 (1-2)	280	289	299	306	339	16

del 113 al 146

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b>176a</b>	1,10(1) 1,60(2)	282	290	296	301	328	13
<b>176g</b>	1,15(1) 1,65(2)	563	573	585	592	629	16
<b>176g tacheado</b>	1,15(1) 1,65(2)	623	633	645	652	689	16
<b>176n</b>	1,15(1) 1,65(2)	373	382	392	399	432	16
<b>177al</b>	1,10(1) 1,60(2)	293	301	307	312	339	13
<b>177al Capitoné</b>	1,25(1) 1,60(2)	353	361	367	372	399	13
<b>177ar</b>	0,60(1) 0,75(2)	294	302	308	313	340	13
<b>177g</b>	1,15(1) 1,65(2)	573	583	595	602	639	16
<b>177g capitoné</b>	1,30(1) 1,65(2)	633	643	655	662	699	16
<b>177g tacheado</b>	1,15(1) 1,65(2)	633	643	655	662	699	16
<b>177nl</b>	1,15(1) 1,65(2)	381	390	400	407	440	16
<b>177nr</b>	0,65(1) 0,80(2)	373	382	392	399	432	16
<b>177tb</b>	1,10(1) 1,60(2)	401	410	420	427	460	13
<b>178al</b>	1,10(1) 1,60(2)	379	387	393	398	425	13
<b>178ar</b>	0,60(1) 0,75(2)	380	388	394	399	426	13
<b>178nl</b>	1,15(1) 1,65(2)	487	496	506	513	546	16
<b>178nr</b>	0,65(1) 0,80(2)	479	488	498	505	538	16
<b>188d</b>	3,8	547	551	555	557	576	31
<b>188n</b>	2,5	340	344	348	350	369	20
<b>189n Capitoné</b>	2,9	464	468	472	474	493	20
<b>189n liso</b>	2,7	344	348	352	354	373	20
<b>1908ab</b>	-	282	291	297	303	324	13
<b>1908al</b>	0,9	282	290	296	301	328	13
<b>1908ar</b>	0,60 (1-2)	263	271	277	282	309	13
<b>190n,t liso</b>	3	351	355	359	361	380	20
<b>190n-c Capitoné</b>	3,2	471	475	479	481	500	20
<b>190n-c liso</b>	3	351	355	359	361	380	20
<b>190n-t Capitoné</b>	3,2	471	475	479	481	500	20

del 176 al 190

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b>195b</b>	1,9	363	368	372	376	398	13
<b>195ca105r</b>	-	310	322	330	338	363	22
<b>195ca105t</b>	1	366	378	386	394	419	22
<b>195ca105t-c</b>	1,2	468	480	488	496	521	22
<b>195ca135r</b>	-	369	385	396	407	434	22
<b>195ca135t</b>	1	416	432	443	454	481	22
<b>195ca135t-c</b>	2,1	532	548	559	570	597	22
<b>195ca150r</b>	-	372	388	399	410	437	22
<b>195ca150t</b>	2	426	442	453	464	491	22
<b>195ca150t-c</b>	2,2	570	586	597	608	635	22
<b>195ca160r</b>	-	378	394	405	416	443	22
<b>195ca160t</b>	2	433	449	460	471	498	22
<b>195ca160t-c</b>	2,2	605	621	632	643	670	22
<b>195ca180r</b>	-	453	469	480	491	518	22
<b>195ca180t</b>	2	518	534	545	556	583	22
<b>195ca180t-c</b>	2,3	718	734	745	756	783	22
<b>195ca200r</b>	-	523	539	550	561	588	22
<b>195ca200t</b>	2	591	607	618	629	656	22
<b>195ca200t-c</b>	2,3	819	835	846	857	884	22
<b>195ca90r</b>	-	307	319	327	335	360	22
<b>195ca90t</b>	1	360	372	380	388	413	22
<b>195ca90t-c</b>	1,2	448	460	468	476	501	22
<b>195d</b>	10	1063	1077	1093	1103	1174	34
<b>195k</b>	-	876	918	946	974	1047	29
<b>195m1</b>	-	287	299	308	316	339	13
<b>195m2</b>	-	344	359	368	378	399	13
<b>195m3</b>	-	398	414	425	435	455	13
<b>195n</b>	4,25	607	617	629	636	673	20
<b>195nrl</b>	4,25	676	686	710	727	756	20
<b>195x</b>	-	908	950	978	1006	1079	29
<b>206a</b>	0,60(1) 0,75(2)	310	318	324	329	356	13
<b>206n</b>	0,65(1) 0,80(2)	389	398	408	415	448	16
<b>216ab</b>	-	328	337	343	349	370	13
<b>216al</b>	1,10(1) 1,60(2)	327	335	341	346	373	13
<b>216ar</b>	0,60(1) 0,75(2)	328	336	342	347	374	13
<b>216nb</b>	-	387	397	409	416	453	16
<b>216nl</b>	1,15(1) 1,65(2)	406	415	425	432	465	16
<b>216nr</b>	0,65(1) 0,80(2)	398	407	417	424	457	16
<b>216tb</b>	1,10(1) 1,60(2)	401	410	420	427	460	13
<b>217n</b>	3,5	702	712	736	753	782	20
<b>218a</b>	0,60 (1-2)	298	307	313	319	340	13

del 195 al 218

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b><u>221ca105b</u></b>	-	417	433	444	454	478	22
<b><u>221ca105r</u></b>	-	469	485	496	506	530	22
<b><u>221ca105t</u></b>	1	482	498	509	519	543	22
<b><u>221ca140b</u></b>	-	458	477	490	502	536	22
<b><u>221ca140r</u></b>	-	525	544	557	569	603	22
<b><u>221ca140t</u></b>	1	527	546	559	571	605	22
<b><u>221ca150b</u></b>	-	475	494	507	519	553	22
<b><u>221ca150r</u></b>	-	552	571	584	596	630	22
<b><u>221ca150t</u></b>	2	549	568	581	593	627	22
<b><u>221ca160b</u></b>	-	485	504	517	529	563	22
<b><u>221ca160r</u></b>	-	563	582	595	607	641	22
<b><u>221ca160t</u></b>	2	560	579	592	604	638	22
<b><u>221ca180b</u></b>	-	532	551	564	576	610	22
<b><u>221ca180r</u></b>	-	620	639	652	664	698	22
<b><u>221ca180t</u></b>	2	617	636	649	661	695	22
<b><u>221ca200b</u></b>	-	584	603	616	628	662	22
<b><u>221ca200r</u></b>	-	712	731	744	756	790	22
<b><u>221ca200t</u></b>	2	668	687	700	712	746	22
<b><u>221ca90b</u></b>	-	401	417	428	438	462	22
<b><u>221ca90r</u></b>	-	442	458	469	479	503	22
<b><u>221ca90t</u></b>	1	463	479	490	500	524	22
<b><u>221cm105b</u></b>	-	967	1001	1024	1047	1069	54
<b><u>221cm105r</u></b>	-	1071	1105	1128	1151	1173	54
<b><u>221cm105t</u></b>	3	1151	1185	1208	1231	1253	54
<b><u>221cm140b</u></b>	-	1015	1053	1078	1103	1171	54
<b><u>221cm140r</u></b>	-	1148	1186	1211	1236	1304	54
<b><u>221cm140t</u></b>	3	1211	1249	1274	1299	1367	54
<b><u>221cm150b</u></b>	-	1042	1080	1105	1130	1198	54
<b><u>221cm150r</u></b>	-	1197	1235	1260	1285	1353	54
<b><u>221cm150t</u></b>	4	1251	1289	1314	1339	1407	54
<b><u>221cm160b</u></b>	-	1073	1111	1136	1161	1229	54
<b><u>221cm160r</u></b>	-	1228	1266	1291	1316	1384	54
<b><u>221cm160t</u></b>	4	1282	1320	1345	1370	1438	54
<b><u>221cm180b</u></b>	-	1167	1205	1230	1255	1323	54
<b><u>221cm180r</u></b>	-	1343	1381	1406	1431	1499	54
<b><u>221cm180t</u></b>	4	1403	1441	1466	1491	1559	54
<b><u>221cm200b</u></b>	-	1244	1282	1307	1332	1400	54
<b><u>221cm200r</u></b>	-	1458	1496	1521	1546	1614	54
<b><u>221cm200t</u></b>	4	1504	1542	1567	1592	1660	54
<b><u>221cm90b</u></b>	-	940	974	997	1020	1042	54
<b><u>221cm90r</u></b>	-	1023	1057	1080	1103	1125	54
<b><u>221cm90t</u></b>	3	1118	1152	1175	1198	1220	54

del 221 al 221

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b><u>221k</u></b>	-	888	930	958	986	1059	29
<b><u>221m1</u></b>	-	317	329	338	346	369	13
<b><u>221m3</u></b>	-	428	444	455	465	485	13
<b><u>221x</u></b>	-	921	963	991	1019	1092	29
<b><u>224a</u></b>	0,60 (1-2)	255	263	269	274	301	13
<b><u>227n</u></b>	3,5	608	618	630	637	674	20
<b><u>227p</u></b>	1,9	372	377	381	385	407	13
<b><u>232a</u></b>	1,20(1) 2,10(2)	355	363	369	374	401	13
<b><u>232n</u></b>	1,20(1) 2,10(2)	462	471	481	488	521	16
<b><u>235b</u></b>	1,9	367	372	376	380	402	13
<b><u>235n</u></b>	5,1	652	662	674	681	718	20
<b><u>246n</u></b>	5	716	726	738	745	782	20
<b><u>246p</u></b>	1,9	372	377	381	385	407	13
<b><u>249n</u></b>	5	722	732	744	751	788	20
<b><u>250n</u></b>	5	686	696	708	715	752	20
<b><u>251c72b</u></b>	-	248	257	264	270	290	13
<b><u>251c72r</u></b>	-	288	297	304	310	330	13
<b><u>252c50b</u></b>	-	216	225	232	238	258	13
<b><u>253c96b</u></b>	-	263	272	279	285	305	13
<b><u>306a</u></b>	1,1	227	235	241	246	273	13
<b><u>306n</u></b>	1,1	271	280	290	297	330	16
<b><u>307a</u></b>	0,9	225	233	239	244	271	13
<b><u>307n</u></b>	0,9	281	290	300	307	340	16
<b><u>309a</u></b>	0,9	218	226	232	237	264	13
<b><u>309n</u></b>	0,9	269	278	288	295	328	16
<b><u>319m-ct</u></b>	-	606	627	641	654	698	29
<b><u>319m-tt</u></b>	-	570	591	605	618	662	29
<b><u>320m-ct</u></b>	-	606	627	641	654	698	29
<b><u>320m-tt</u></b>	-	570	591	605	618	662	29
<b><u>326a</u></b>	0,60 (1-2)	240	248	254	259	286	13
<b><u>326n</u></b>	0,60 (1-2)	297	306	316	323	356	16
<b><u>327a</u></b>	0,60 (1-2)	222	230	236	241	268	13
<b><u>327n</u></b>	0,60 (1-2)	279	288	298	305	338	16
<b><u>329a</u></b>	0,60 (1-2)	209	217	223	228	255	13
<b><u>329n</u></b>	0,60 (1-2)	259	268	278	285	318	16
<b><u>32n</u></b>	4,3	596	606	618	625	662	20
<b><u>330n</u></b>	1,4(1) 2,10(2)	378	386	392	397	424	16
<b><u>339a</u></b>	0,60 (1-2)	217	225	231	236	263	13
<b><u>339n</u></b>	0,60 (1-2)	266	275	285	292	325	16
<b><u>347a</u></b>	0,60 (1-2)	218	226	232	237	264	13

del 221 al 347

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b><u>351m47</u></b> <b>+ pies G1</b>	-	494	525	550	581	627	36
<b><u>351m47</u></b> <b>+ pies G2</b>	-	537	568	593	624	670	36
<b><u>351m75</u></b> <b>+ pies G1</b>	-	663	694	719	750	796	36
<b><u>351m75</u></b> <b>+ pies G2</b>	-	706	737	762	793	839	36
<b><u>351m90</u></b> <b>+ pies G1</b>	-	760	791	816	847	893	36
<b><u>351m90</u></b> <b>+ pies G2</b>	-	717	748	773	804	850	36
<b><u>382m47</u></b> <b>+ pies G3</b>	-	636	667	692	723	769	36
<b><u>382m47</u></b> <b>+ pies G4</b>	-	679	710	735	766	812	36
<b><u>383m47</u></b>	-	762	793	818	849	895	36
<b><u>390a</u></b>	1,10(1) 1,60(2)	288	296	302	307	334	13
<b><u>390n</u></b>	1,15(1) 1,65(2)	356	365	375	382	415	16
<b><u>394n</u></b> <b>Cojín Asiento</b>	4,75	570	580	592	599	636	20
<b><u>394n</u></b> <b>fijo</b>	4,25	490	500	512	519	556	20
<b><u>501m2</u></b>	-	363	378	387	397	418	22
<b><u>506d</u></b>	8,5	1107	1121	1137	1147	1218	36
<b><u>515ca105r</u></b>	-	368	380	388	396	421	22
<b><u>515ca105t</u></b>	1	434	446	454	462	487	22
<b><u>515ca135r</u></b>	-	439	455	466	477	504	22
<b><u>515ca135t</u></b>	1	497	513	524	535	562	22
<b><u>515ca140r</u></b>	-	462	478	489	500	527	22
<b><u>515ca140t</u></b>	2	518	534	545	556	583	22
<b><u>515ca150r</u></b>	-	478	494	505	516	543	22
<b><u>515ca150t</u></b>	2	536	552	563	574	601	22
<b><u>515ca160r</u></b>	-	518	534	545	556	583	22
<b><u>515ca160t</u></b>	2	575	591	602	613	640	22
<b><u>515ca180r</u></b>	-	547	563	574	585	612	22
<b><u>515ca180t</u></b>	2	608	624	635	646	673	22
<b><u>515ca200r</u></b>	-	581	597	608	619	646	22
<b><u>515ca200t</u></b>	2	650	666	677	688	715	22
<b><u>515ca90r</u></b>	-	353	365	373	381	406	22
<b><u>515ca90t</u></b>	1	417	429	437	445	470	22

del 351 al 515

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b>515cm105r</b>	-	791	817	834	851	880	31
<b>515cm105t</b>	1	857	883	900	917	946	31
<b>515cm135r</b>	-	895	928	949	971	1026	31
<b>515cm135t</b>	1	952	985	1006	1028	1083	31
<b>515cm140r</b>	-	920	953	974	996	1051	31
<b>515cm140t</b>	2	974	1007	1028	1050	1105	31
<b>515cm150r</b>	-	959	992	1013	1035	1090	31
<b>515cm150t</b>	2	1015	1048	1069	1091	1146	31
<b>515cm160r</b>	-	1000	1033	1054	1076	1131	31
<b>515cm160t</b>	2	1056	1089	1110	1132	1187	31
<b>515cm180r</b>	-	1052	1085	1106	1128	1183	31
<b>515cm180t</b>	2	1112	1145	1166	1188	1243	31
<b>515cm200r</b>	-	1109	1142	1163	1185	1240	31
<b>515cm200t</b>	2	1176	1209	1230	1252	1307	31
<b>515cm90r</b>	-	776	802	819	836	865	31
<b>515cm90t</b>	1	839	865	882	899	928	31
<b>524al</b>	1,10(1) 1,60(2)	260	268	274	279	306	13
<b>524ar</b>	0,60(1) 0,75(2)	263	271	277	282	309	13
<b>524nl</b>	1,15(1) 1,65(2)	348	357	367	374	407	16
<b>524nr</b>	0,65(1) 0,80(2)	342	351	361	368	401	16
<b>526b-100</b>	0,7	349	364	373	383	404	16
<b>526b-65</b>	0,7	319	331	340	348	371	16
<b>527ac</b>	0,60 (1-2)	242	251	257	263	284	13
<b>527al</b>	0,60 (1-2)	230	239	245	251	272	13
<b>528m-150 + PT</b>	-	544	569	586	602	641	36
<b>528m-150 +PC</b>	-	544	569	586	602	641	36
<b>528m-90 + PT</b>	-	410	427	439	450	484	36
<b>528m-90 +PC</b>	-	410	427	439	450	484	36
<b>533b-100</b>	0,6	224	230	234	238	266	13
<b>533b-65</b>	0,6	213	219	223	227	255	13
<b>534b-100</b>	0,85	283	289	293	297	325	13
<b>534b-65</b>	0,85	253	258	262	266	288	13
<b>535me + PC</b>	-	1074	1116	1144	1172	1245	36
<b>535me + PT</b>	-	1074	1116	1144	1172	1245	36

del 515 al 535

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b>539k</b>	-	1295	1337	1365	1393	1466	36
<b>540ap</b>	-	1510	1552	1580	1608	1681	36
<b>556ap</b>	-	1509	1551	1579	1607	1680	36
<b>557vi</b>	-	1478	1530	1565	1600	1682	54
<b>558ve</b>	-	2037	2087	2124	2161	1835	54
<b>667a</b>	1,30(1) 2,00(2)	273	278	282	286	308	13
<b>680b-100</b>	0,5	212	218	222	226	254	13
<b>680b-65</b>	0,50 (1-2)	182	188	192	196	224	13
<b>681al</b>	1,10(1) 1,60(2)	245	253	259	264	291	13
<b>681ar</b>	0,60(1) 0,75(2)	245	253	259	264	291	13
<b>682al</b>	1,10(1) 1,60(2)	245	253	259	264	291	13
<b>682ar</b>	0,60(1) 0,75(2)	245	253	259	264	291	13
<b>683co-100</b>	-	423	438	447	457	478	27
<b>683co-100 + 683ba-100</b>	-	475	491	502	512	532	27
<b>683co-140</b>	-	466	481	490	500	521	27
<b>683co-140 + 683ba-140</b>	-	525	541	552	562	582	27
<b>694f-130</b>	3,2	575	579	583	585	604	31
<b>694n</b>	2	365	369	373	375	394	20
<b>697a</b>	0,65(1) 0,80(2)	355	364	370	376	397	16
<b>697n</b>	0,60(1) 0,75(2)	430	440	452	459	496	13
<b>698m-140-pch</b>	-	1413	1463	1496	1530	1572	0
<b>698m-140- pdsp</b>	-	1426	1476	1509	1543	1585	0
<b>699m-130</b>	-	1040	1077	1101	1125	1173	0
<b>699m-150</b>	-	1146	1196	1229	1263	1305	0
<b>701m-120</b>	-	1130	1180	1213	1247	1289	0
<b>701m-140</b>	-	1146	1196	1229	1263	1305	0
<b>738ca150</b>	0	2135	2156	2176	2209	2279	50
<b>738ca160</b>	0	2135	2156	2176	2209	2279	50
<b>738ca180</b>	0	2407	2434	2460	2502	2591	50
<b>738ca200</b>	0	2407	2434	2460	2502	2591	50
<b>738cm150</b>	0	3781	3817	3851	3906	4022	80
<b>738cm160</b>	0	3781	3817	3851	3906	4022	80
<b>738cm180</b>	0	4166	4207	4246	4309	4442	80
<b>738cm200</b>	0	4166	4207	4246	4309	4442	80
<b>738m2</b>	-	421	436	445	455	476	13
<b>789n</b>	3,75	585	595	607	614	651	20
<b>789n Capitoné</b>	4	685	695	707	714	751	20

del 539 al 789

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<b><u>Coral-130</u></b> <b>+ Pies 3t</b>	-	1347	1397	1430	1464	1506	0
<b><u>Coral-130</u></b> <b>+ Pies 4t</b>	-	1375	1425	1458	1492	1534	0
<b><u>Coral-130</u></b> <b>+ Pies 7c</b>	-	1347	1397	1430	1464	1506	0
<b><u>Coral-140</u></b> <b>+ Pies 3t</b>	-	1351	1401	1434	1468	1510	0
<b><u>Coral-140</u></b> <b>+ Pies 4t</b>	-	1379	1429	1462	1496	1538	0
<b><u>Coral-140</u></b> <b>+ Pies 7c</b>	-	1351	1401	1434	1468	1510	0
<b><u>Coral-165</u></b> <b>+ Pies 3t</b>	-	1370	1420	1453	1487	1529	0
<b><u>Coral-165</u></b> <b>+ Pies 4t</b>	-	1398	1448	1481	1515	1557	0
<b><u>Coral-165</u></b> <b>+ Pies 7c</b>	-	1370	1420	1453	1487	1529	0
<b><u>cp-1</u></b>	-	254	254	254	254	254	20
<b><u>cp-2</u></b>	-	454	454	454	454	454	25
<b><u>ctl-1</u></b>	-	344	344	344	344	344	20
<b><u>ctl-2</u></b>	-	600	600	600	600	600	25
<b><u>ctr-1</u></b>	-	392	392	392	392	392	20
<b><u>ctr-2</u></b>	-	720	720	720	720	720	25
<b><u>fil</u></b>	-	32	32	32	32	32	0
<b><u>lup</u></b>	-	175	175	175	175	175	0
<b><u>me-01-130</u></b>	0	1200	1237	1261	1285	1333	0
<b><u>me-01-140</u></b>	0	1333	1383	1416	1450	1492	0
<b><u>me-02-165</u></b>	0	1610	1660	1693	1727	1769	0
<b><u>me-02-180</u></b>	0	1652	1702	1735	1769	1811	0
<b><u>mp-02L-140</u></b>	0	1425	1475	1508	1542	1584	0
<b><u>mp-02L-165</u></b>	0	1434	1484	1517	1551	1593	0
<b><u>mp-02L-180</u></b>	-	1441	1491	1524	1558	1600	0
<b><u>mp-03P-140</u></b>	-	1454	1504	1537	1571	1613	0
<b><u>mp-03P-165</u></b>	-	1463	1513	1546	1580	1622	0
<b><u>mp-03P-180</u></b>	-	1470	1520	1553	1587	1629	0
<b><u>mp-05R-140</u></b>	-	1545	1595	1628	1662	1704	0
<b><u>mp-05R-165</u></b>	-	1554	1604	1637	1671	1713	0
<b><u>mp-05R-180</u></b>	-	1561	1611	1644	1678	1720	0
<b><u>mrc-02-140</u></b>	0	1438	1488	1521	1555	1597	0
<b><u>mrc-02-160</u></b>	0	1445	1495	1528	1562	1604	0
<b><u>mrc-02-180</u></b>	0	1452	1502	1535	1569	1611	0
<b><u>mrc-04-140</u></b>	0	1175	1225	1258	1292	1334	0
<b><u>mrc-04-160</u></b>	0	1182	1232	1265	1299	1341	0
<b><u>mrc-04-180</u></b>	0	1189	1239	1272	1306	1348	0

de Coral a Mrc

Modelo	Metraje	Estructura+Tapizado con tela cliente+Acabado+Embalaje					Pág.
		G1	G2	G3	G4	G5	
<u>mrd-01-100</u>	0	1141	1172	1197	1228	1274	0
<u>mrd-01-110</u>	0	1149	1180	1205	1236	1282	0
<u>mrd-01-115</u>	0	1216	1253	1277	1301	1349	0
<u>mrd-01-120</u>	0	1268	1305	1329	1353	1401	0
<u>mrd-01-90</u>	0	1134	1165	1190	1221	1267	0
<u>mrd-04-100</u>	0	843	874	899	930	976	0
<u>mrd-04-110</u>	0	851	882	907	938	984	0
<u>mrd-04-115</u>	0	918	955	979	1003	1051	0
<u>mrd-04-120</u>	0	970	1007	1031	1055	1103	0
<u>mrd-04-90</u>	0	836	867	892	923	969	0
<u>mrl-115</u>	-	1184	1221	1245	1269	1317	36
<u>mrl-180</u>	-	1354	1404	1437	1471	1513	36
<u>nog</u>	-	85	85	85	85	85	0
<u>pm-115-135</u>	0	244	281	305	329	377	0
<u>pm-140-180</u>	0	334	384	417	451	493	0
<u>pm-90-110</u>	0	186	217	242	273	319	0
<u>rob</u>	-	36	36	36	36	36	0
<u>te-130</u>	-	743	780	804	828	876	36
<u>te-140</u>	-	876	926	959	993	1035	36
<u>te-165</u>	-	897	947	980	1014	1056	36
<u>te-180</u>	-	939	989	1022	1056	1098	36
<u>tir02</u>	-	6	6	6	6	6	0
<u>tir03</u>	-	6	6	6	6	6	0
<u>tir04</u>	-	6	6	6	6	6	0
<u>tir05</u>	-	6	6	6	6	6	0
<u>tir06</u>	-	9	9	9	9	9	0
<u>tir07</u>	-	9	9	9	9	9	0
<u>tir08</u>	-	7	7	7	7	7	0
<u>tir09</u>	-	7	7	7	7	7	0
<u>tir10</u>	-	9	9	9	9	9	0
<u>tir11</u>	-	7	7	7	7	7	0
<u>tir12</u>	-	5	5	5	5	5	0
<u>tir14</u>	-	7	7	7	7	7	0
<u>tp-140</u>	-	829	879	912	946	988	36
<u>tp-165</u>	-	838	888	921	955	997	36
<u>tp-180</u>	-	845	895	928	962	1004	36
<u>trc-140</u>	-	842	892	925	959	1001	36
<u>trc-160</u>	-	849	899	932	966	1008	36
<u>trc-180</u>	-	856	906	939	973	1015	36
<u>trd-100</u>	-	578	609	634	665	711	36
<u>trd-110</u>	-	586	617	642	673	719	36
<u>trd-115</u>	-	653	690	714	738	786	36
<u>trd-120</u>	-	705	742	766	790	838	36
<u>trd-90</u>	-	571	602	627	658	704	36

de Mrd a Trd