

Modelo	Estructura	Metraje	Tapizados		Acabados Barnizados					Embalaje	Pág.
			Pretap.	Tela	G1	G2	G3	G4	G5		
1al	131	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	14
1ar	149	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	14
1nl	188	1,15(1) 1,65(2)	60	91	67	76	86	93	126	16	14
1nr	206	0,65(1) 0,80(2)	55	74	67	76	86	93	126	16	14
4pies	259	-	0	0	0	0	0	0	0		98
6ab	237	-	0	0	65	74	80	86	107	13	18
6al	149	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	18
6ar	169	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	18
6nb	280	0	0	0	75	85	97	104	141	16	18
6nl	200	1,15(1) 1,65(2)	66	106	67	76	86	93	126	16	19
6nr	218	0,65(1) 0,80(2)	60	80	67	76	86	93	126	16	19
7ab	234	-	0	0	65	74	80	86	107	13	42
7al	149	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	43
7ar	169	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	42
7nl	213	1,15(1) 1,65(2)	66	106	67	76	86	93	126	16	42
7nr	228	0,65(1) 0,80(2)	60	80	67	76	86	93	126	16	42
8al	139	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	16
8ar	157	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	16
8nl	190	1,15(1) 1,65(2)	66	106	67	76	86	93	126	16	16
8nr	208	0,65(1) 0,80(2)	60	80	67	76	86	93	126	16	16
9al	149	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	20
9ar	167	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	20
9fl	268	2,2	100	150	96	108	122	131	151	23	20
9fr	327	0,85	96	130	96	108	122	131	151	23	20
9nl	201	1,15(1) 1,65(2)	66	106	67	76	86	93	126	16	21
9nr	219	0,65(1) 0,80(2)	60	80	67	76	86	93	126	16	21
29nr	197	0,65(1) 0,80(2)	55	74	67	76	86	93	126	16	17
30al	131	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	15
30ar	149	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	15
30nl	188	1,15(1) 1,65(2)	60	91	67	76	86	93	126	16	15
30nr	206	0,65(1) 0,80(2)	55	74	67	76	86	93	126	16	15
31al	160	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	13
31ar	178	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	13

Del 1 al 31

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
31nl	211	1,15(1) 1,65(2)	66	106	67	76	86	93	126	16	13
31nl <i>Capitoné</i>	211	1,30(1) 1,65(2)	29	166	67	76	86	93	126	16	12
31nr	229	0,65(1) 0,80(2)	60	80	67	76	86	93	126	16	13
42n <i>Asiento fijo, capitoné</i>	217	3	200	300	81	91	103	110	147	20	70
42n <i>Cojin Asiento</i>	217	3,3	200	260	81	91	103	110	147	20	70
42nrl	217	2,3	68	116	81	91	115	132	161	20	70
47a	187	0,60 (1-2)	29	35	65	74	80	86	107	13	32
47n	241	0,65 (1-2)	29	35	75	85	97	104	141	16	32
52nl	135	1	32	54	67	76	86	93	126	16	40
52nr	149	0,65 (1-2)	29	35	67	76	86	93	126	16	40
57b	105	0,8	52	74	46	51	55	59	81	9	65
57d	401	8	380	490	126	140	156	166	237	34	64
57f	503	10,5	540	680	157	174	195	207	274	41	64
57n	264	4,5	236	320	81	91	103	110	147	20	65
57p	148	1,9	104	164	46	51	55	59	81	13	65
58n	244	4,75	236	320	46	51	55	59	81	20	65
59d	437	-	380	490	126	140	156	166	237	34	64
59f	582	-	540	680	157	174	195	207	274	41	64
59n	309	4,75	236	320	81	91	103	110	147	20	64
59p	144	1,9	104	164	46	51	55	59	81	13	65
61a	182	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	38
61a <i>capitoné</i>	182	1,25(1) 1,60(2)	55	144	61	69	75	80	107	13	39
61n	233	1,15(1) 1,65(2)	60	91	67	76	86	93	126	16	38
63f <i>Capitoné</i>	666	10,5	620	1020	157	174	214	237	274	36	85
63f <i>liso</i>	666	10	620	900	157	174	214	237	274	36	85
63n <i>Capitoné</i>	396	5,5	300	520	81	91	115	132	161	20	86
63n <i>liso</i>	396	5,2	300	440	81	91	115	132	161	20	86
78c-110	600	-	0	0	156	177	191	204	248	20	86
78c-70	560	-	0	0	156	177	191	204	248	20	86
78f <i>Capitoné</i>	1000	11	620	1020	157	174	214	237	274	36	85
78f <i>Liso</i>	1000	10,5	620	900	157	174	214	237	274	36	85
78n <i>Capitoné</i>	660	5,5	300	520	81	91	115	132	161	20	87
78n <i>Liso</i>	660	5,8	300	440	81	91	115	132	161	20	87
82a	149	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	44
82n	204	1,15(1) 1,65(2)	66	106	67	76	86	93	126	16	44

Del 31 al 82

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
84a	267	0,60 (1-2)	29	35	65	74	80	86	107	13	33
84n	315	0,65 (1-2)	29	35	75	85	97	104	141	16	33
86b-100	166	0,8	211	211	52	58	62	66	94	13	59
86b-70	146	0,9	104	164	46	51	55	59	81	13	59
86d <i>Asiento fijo</i>	447	5	260	360	126	140	156	166	237	34	58
86d <i>Cojín asiento</i>	447	6	260	360	126	140	156	166	237	34	58
86d <i>Cojines Capitoné</i>	447	6,5	260	580	126	140	156	166	237	34	58
86n <i>Asiento fijo</i>	267	3	150	220	81	91	103	110	147	20	58
86n <i>Cojín asiento</i>	267	3,5	150	220	81	91	103	110	147	20	58
86n <i>Cojines Capitoné</i>	267	3,75	150	330	81	91	103	110	147	20	59
87b-105	90	0,8	83	109	52	58	62	66	94	13	54
87b-65	76	0,8	68	95	46	51	55	59	81	13	54
87bc	72	0,60 (1-2)	52	74	46	51	55	59	81	9	72
87f	270	2,1	96	144	96	108	122	131	151	23	60
87n	188	1,05(1) 1,60(2)	66	118	67	76	86	93	126	20	61
88ca105r	261	-	0	0	94	106	114	122	147	22	111
88ca105t	190	1	72	92	94	106	114	122	147	22	111
88ca135r	279	-	0	0	129	145	156	167	194	22	111
88ca135t	198	1	76	96	129	145	156	167	194	22	111
88ca150r	292	-	0	0	129	145	156	167	194	22	111
88ca150t	202	2	81	101	129	145	156	167	194	22	111
88ca160r	295	-	0	0	129	145	156	167	194	22	111
88ca160t	207	2	82	102	129	145	156	167	194	22	111
88ca180r	362	-	0	0	129	145	156	167	194	22	111
88ca180t	270	2	92	112	129	145	156	167	194	22	111
88ca200r	440	-	0	0	129	145	156	167	194	22	111
88ca200t	328	2	102	123	129	145	156	167	194	22	111
88ca90r	256	-	0	0	94	106	114	122	147	22	111
88ca90t	185	1	69	89	94	106	114	122	147	22	111
88d	421	6	307	385	126	140	156	166	237	34	72
88k	567	-	0	0	309	351	379	407	480	29	110
88m1	193	-	0	0	94	106	115	123	146	13	110
88m2	238	-	0	0	106	121	130	140	161	13	110
88m3	283	-	0	0	115	131	142	152	172	13	110
88n	232	3	158	232	81	91	103	110	147	20	72
88x	599	-	0	0	309	351	379	407	480	29	110

Del 84 al 88

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
89b-105	90	0,8	83	109	52	58	62	66	94	13	55
89b-65	76	0,8	68	95	46	51	55	59	81	13	55
89bc	72	0,60 (1-2)	52	74	46	51	55	59	81	13	71
92b	75	1,2	76	99	45	49	53	55	74	9	83
92d	229	8	386	490	45	49	53	55	74	34	83
92n <i>Capitoné</i>	166	5	236	440	45	49	53	55	74	20	83
92n <i>Liso</i>	166	4,75	236	320	45	49	53	55	74	20	83
93a	147	0,60 (1-2)	29	35	61	69	75	80	107	13	26
95f	419	2,1	96	168	96	108	122	131	151	23	60
95n	277	1,05(1) 1,60(2)	60	91	67	76	86	93	126	16	61
97a	221	0,60(1) 0,75(2)	50	67	65	74	80	86	107	13	30
97n	297	0,65(1) 0,80(2)	55	74	75	85	97	104	141	16	30
112ca160t	288	2	82	102	129	145	156	167	194	22	109
112ca180r	409	-	0	0	129	145	156	167	194	22	109
112ca180t	364	2	92	112	129	145	156	167	194	22	109
112ca200r	499	-	0	0	129	145	156	167	194	22	109
112ca200t	447	2	102	123	129	145	156	167	194	22	109
112ca90r	272	-	0	0	94	106	114	122	147	22	109
112ca90t	240	1	69	89	94	106	114	122	147	22	109
112d	598	7	333	437	126	140	156	166	237	34	67
112f	724	9	529	680	157	174	214	237	274	41	67
112k	594	-	0	0	309	351	379	407	480	29	108
112m1	211	-	0	0	94	106	115	123	146	13	108
112m2	256	-	0	0	106	121	130	140	161	13	108
112m3	310	-	0	0	115	131	142	152	172	13	108
112n	403	3,75	200	272	81	91	115	132	161	20	66
112x	626	-	0	0	309	351	379	407	480	29	108
113ca105r	281	-	0	0	94	106	114	122	147	22	107
113ca105t	249	1	72	92	94	106	114	122	147	22	107
113ca135r	308	-	0	0	129	145	156	167	194	22	107
113ca135t	276	1	76	96	129	145	156	167	194	22	107
113ca150r	303	-	0	0	129	145	156	167	194	22	107
113ca150t	270	2	81	101	129	145	156	167	194	22	107
113ca160r	315	-	0	0	129	145	156	167	194	22	107
113ca160t	278	2	82	102	129	145	156	167	194	22	107
113ca180r	398	-	0	0	129	145	156	167	194	22	107
113ca180t	353	2	92	112	129	145	156	167	194	22	107
113ca200r	486	-	0	0	129	145	156	167	194	22	107
113ca200t	432	2	102	123	129	145	156	167	194	22	107
113ca90r	261	-	0	0	94	106	114	122	147	22	107
113ca90t	229	1	69	89	94	106	114	122	147	22	107

Del 89 al 113

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
118bc	126	0,8	68	95	52	58	62	66	94	13	56
118bcr	193	0	0	0	52	58	62	66	94	13	56
118bl	136	0,8	83	109	52	58	62	66	94	13	56
118blr	222	0	0	0	52	58	62	66	94	13	56
120d	459	2,5	136	220	126	140	156	166	237	34	62
120n	317	1,7	91	143	81	91	103	110	147	20	63
120nr	364	1,75	86	220	81	91	103	110	147	20	62
120nrt	461	0	0	0	81	91	115	132	161	20	62
123nrr	223	0,75(1) 0,90(2)	29	40	67	76	86	93	126	16	47
123nrt	254	-	0	0	75	85	97	104	141	16	47
123nsr	187	1,8	40	108	67	76	86	93	126	16	47
130cb	193	-	0	0	72	81	88	94	114	20	89
130cr	232	-	0	0	72	81	88	94	114	20	89
140b	67	1,2	76	97	45	49	53	55	74	9	82
140n	155	4,75	236	320	45	49	53	55	74	20	82
141a	117	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	34
141d	329	0,75	88	122	96	108	122	131	151	34	35
141k	556	-	0	0	309	351	379	407	480	29	106
141m1	189	-	0	0	94	106	115	123	146	13	106
141m2	234	-	0	0	106	121	130	140	161	13	106
141m3	279	-	0	0	115	131	142	152	172	13	106
141n	170	0,65(1) 0,80(2)	55	74	67	76	86	93	126	16	34
141x	588	-	0	0	309	351	379	407	480	29	106
144n	290	4	200	272	81	91	103	110	147	20	75
144p	153	1,9	104	164	46	51	55	59	81	13	75
146a	124	0,60 (1-2)	29	35	61	69	75	80	107	13	35
146n	178	0,65 (1-2)	29	35	67	76	86	93	126	16	35
176a	137	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	45
176g	382	1,15(1) 1,65(2)	66	106	75	85	97	104	141	16	45
176g <i>tacheado</i>	382	1,15(1) 1,65(2)	66	166	75	85	97	104	141	16	45
176n	200	1,15(1) 1,65(2)	66	106	67	76	86	93	126	16	45
177al	148	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	36
177al <i>Capitoné</i>	148	1,25(1) 1,60(2)	66	144	61	69	75	80	107	13	36
177ar	166	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	36
177g	392	1,15(1) 1,65(2)	66	106	75	85	97	104	141	16	37
177g <i>capitoné</i>	392	1,30(1) 1,65(2)	66	166	75	85	97	104	141	16	37
177g <i>tacheado</i>	392	1,15(1) 1,65(2)	66	166	75	85	97	104	141	16	37

Del 118 al 177

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
177nl	208	1,15(1) 1,65(2)	66	106	67	76	86	93	126	16	36
177nr	226	0,65(1) 0,80(2)	60	80	67	76	86	93	126	16	36
177tb	280	1,10(1) 1,60(2)	32	54	67	76	86	93	126	13	37
178al	234	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	25
178ar	252	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	25
178nl	314	1,15(1) 1,65(2)	66	106	67	76	86	93	126	16	24
178nr	332	0,65(1) 0,80(2)	60	80	67	76	86	93	126	16	24
188d	210	3,8	232	292	45	49	53	55	74	31	80
188n	115	2,5	150	180	45	49	53	55	74	20	81
189n <i>Capitoné</i>	119	2,9	150	300	45	49	53	55	74	20	79
189n <i>liso</i>	119	2,7	150	180	45	49	53	55	74	20	79
1908ab	217	-	0	0	65	74	80	86	107	13	46
1908al	159	0,9	46	62	61	69	75	80	107	13	46
1908ar	167	0,60 (1-2)	29	35	61	69	75	80	107	13	46
190n,t <i>liso</i>	126	3	150	180	45	49	53	55	74	20	78
190n-c <i>Capitoné</i>	126	3,2	150	300	45	49	53	55	74	20	78
190n-c <i>liso</i>	126	3	150	180	45	49	53	55	74	20	78
190n-t <i>Capitoné</i>	126	3,2	150	300	45	49	53	55	74	20	78
195b	153	1,9	104	164	46	51	55	59	81	13	68
195ca105r	216	-	0	0	94	106	114	122	147	22	113
195ca105t	180	1	72	92	94	106	114	122	147	22	113
195ca105t-c	180	1,2	150	194	94	106	114	122	147	22	113
195ca135r	240	-	0	0	129	145	156	167	194	22	113
195ca135t	191	1	76	96	129	145	156	167	194	22	113
195ca135t-c	191	2,1	150	212	129	145	156	167	194	22	113
195ca150r	243	-	0	0	129	145	156	167	194	22	113
195ca150t	196	2	81	101	129	145	156	167	194	22	113
195ca150t-c	196	2,2	72	245	129	145	156	167	194	22	113
195ca160r	249	-	0	0	129	145	156	167	194	22	113
195ca160t	202	2	82	102	129	145	156	167	194	22	113
195ca160t-c	202	2,2	76	274	129	145	156	167	194	22	113
195ca180r	324	-	0	0	129	145	156	167	194	22	113
195ca180t	277	2	92	112	129	145	156	167	194	22	113
195ca180t-c	277	2,3	81	312	129	145	156	167	194	22	113
195ca200r	394	-	0	0	129	145	156	167	194	22	113
195ca200t	339	2	102	123	129	145	156	167	194	22	113
195ca200t-c	339	2,3	82	351	129	145	156	167	194	22	113
195ca90r	213	-	0	0	94	106	114	122	147	22	113
195ca90t	177	1	69	89	94	106	114	122	147	22	113
195ca90t-c	177	1,2	92	177	94	106	114	122	147	22	113

Del 177 al 195

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
195d	480	10	336	457	126	140	156	166	237	34	68
195k	567	-	0	0	309	351	379	407	480	29	112
195m1	193	-	0	0	94	106	115	123	146	13	112
195m2	238	-	0	0	106	121	130	140	161	13	112
195m3	283	-	0	0	115	131	142	152	172	13	112
195n	266	4,25	168	260	81	91	103	110	147	20	68
195nrl	355	4,25	160	240	81	91	115	132	161	20	69
195x	599	-	0	0	309	351	379	407	480	29	112
206a	182	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	38
206n	248	0,65(1) 0,80(2)	55	74	67	76	86	93	126	16	38
216ab	263	-	0	0	65	74	80	86	107	13	22
216al	182	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	23
216ar	200	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	23
216nb	312	-	0	0	75	85	97	104	141	16	22
216nl	233	1,15(1) 1,65(2)	66	106	67	76	86	93	126	16	22
216nr	251	0,65(1) 0,80(2)	60	80	67	76	86	93	126	16	22
216tb	280	1,10(1) 1,60(2)	32	54	67	76	86	93	126	13	23
217n	349	3,5	200	272	81	91	115	132	161	20	84
218a	193	0,60 (1-2)	29	40	65	74	80	86	107	13	26
221ca105b	297	-	0	0	120	136	147	157	181	22	117
221ca105r	349	-	0	0	120	136	147	157	181	22	117
221ca105t	270	1	72	92	120	136	147	157	181	22	117
221ca140b	313	-	0	0	145	164	177	189	223	22	117
221ca140r	380	-	0	0	145	164	177	189	223	22	117
221ca140t	286	1	76	96	145	164	177	189	223	22	117
221ca150b	330	-	0	0	145	164	177	189	223	22	117
221ca150r	407	-	0	0	145	164	177	189	223	22	117
221ca150t	303	2	81	101	145	164	177	189	223	22	117
221ca160b	340	-	0	0	145	164	177	189	223	22	117
221ca160r	418	-	0	0	145	164	177	189	223	22	117
221ca160t	313	2	82	102	145	164	177	189	223	22	117
221ca180b	387	-	0	0	145	164	177	189	223	22	117
221ca180r	475	-	0	0	145	164	177	189	223	22	117
221ca180t	360	2	92	112	145	164	177	189	223	22	117
221ca200b	439	-	0	0	145	164	177	189	223	22	117
221ca200r	567	-	0	0	145	164	177	189	223	22	117
221ca200t	400	2	102	123	145	164	177	189	223	22	117
221ca90b	281	-	0	0	120	136	147	157	181	22	117
221ca90r	322	-	0	0	120	136	147	157	181	22	117
221ca90t	254	1	69	89	120	136	147	157	181	22	117

Del 195 al 221

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
<u>221cm105b</u>	698	-	0	0	269	303	326	349	371	54	118
<u>221cm105r</u>	802	-	0	0	269	303	326	349	371	54	118
<u>221cm105t</u>	698	3	144	184	269	303	326	349	371	54	118
<u>221cm140b</u>	725	-	0	0	290	328	353	378	446	54	118
<u>221cm140r</u>	858	-	0	0	290	328	353	378	446	54	118
<u>221cm140t</u>	725	3	152	196	290	328	353	378	446	54	118
<u>221cm150b</u>	752	-	0	0	290	328	353	378	446	54	118
<u>221cm150r</u>	907	-	0	0	290	328	353	378	446	54	118
<u>221cm150t</u>	752	4	162	209	290	328	353	378	446	54	118
<u>221cm160b</u>	783	-	0	0	290	328	353	378	446	54	118
<u>221cm160r</u>	938	-	0	0	290	328	353	378	446	54	118
<u>221cm160t</u>	783	4	164	209	290	328	353	378	446	54	118
<u>221cm180b</u>	877	-	0	0	290	328	353	378	446	54	118
<u>221cm180r</u>	1053	-	0	0	290	328	353	378	446	54	118
<u>221cm180t</u>	877	4	184	236	290	328	353	378	446	54	118
<u>221cm200b</u>	954	-	0	0	290	328	353	378	446	54	118
<u>221cm200r</u>	1168	-	0	0	290	328	353	378	446	54	118
<u>221cm200t</u>	954	4	204	260	290	328	353	378	446	54	118
<u>221cm90b</u>	671	-	0	0	269	303	326	349	371	54	118
<u>221cm90r</u>	754	-	0	0	269	303	326	349	371	54	118
<u>221cm90t</u>	671	3	138	178	269	303	326	349	371	54	118
<u>221k</u>	579	-	0	0	309	351	379	407	480	29	116
<u>221m1</u>	223	-	0	0	94	106	115	123	146	13	116
<u>221m3</u>	313	-	0	0	115	131	142	152	172	13	116
<u>221x</u>	612	-	0	0	309	351	379	407	480	29	116
<u>224a</u>	144	0,60 (1-2)	40	50	61	69	75	80	107	13	34
<u>227n</u>	270	3,5	160	257	81	91	103	110	147	20	73
<u>227p</u>	162	1,9	104	164	46	51	55	59	81	13	73
<u>232a</u>	210	1,20(1) 2,10(2)	55	84	61	69	75	80	107	13	27
<u>232n</u>	279	1,20(1) 2,10(2)	72	116	67	76	86	93	126	16	27
<u>235b</u>	157	1,9	104	164	46	51	55	59	81	13	76
<u>235n</u>	277	5,1	200	294	81	91	103	110	147	20	76
<u>246n</u>	315	5	236	320	81	91	103	110	147	20	76
<u>246p</u>	162	1,9	104	164	46	51	55	59	81	13	76
<u>249n</u>	369	5	200	272	81	91	103	110	147	20	77
<u>250n</u>	333	5	200	272	81	91	103	110	147	20	77
<u>251c72b</u>	176	-	0	0	72	81	88	94	114	13	89
<u>251c72r</u>	216	-	0	0	72	81	88	94	114	13	89
<u>252c50b</u>	144	-	0	0	72	81	88	94	114	13	89
<u>253c96b</u>	191	-	0	0	72	81	88	94	114	13	89
<u>306a</u>	104	1,1	46	62	61	69	75	80	107	13	50
<u>306n</u>	142	1,1	46	62	67	76	86	93	126	16	50
<u>307a</u>	110	0,9	32	54	61	69	75	80	107	13	51
<u>307n</u>	160	0,9	32	54	67	76	86	93	126	16	51
<u>309a</u>	103	0,9	32	54	61	69	75	80	107	13	52
<u>309n</u>	148	0,9	32	54	67	76	86	93	126	16	52

Del 221 al 309

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
319m-ct	450	-	0	0	156	177	191	204	248	29	88
319m-tt	414	-	0	0	156	177	191	204	248	29	88
320m-ct	450	-	0	0	156	177	191	204	248	29	88
320m-tt	414	-	0	0	156	177	191	204	248	29	88
326a	144	0,60 (1-2)	29	35	61	69	75	80	107	13	50
326n	195	0,60 (1-2)	29	35	67	76	86	93	126	16	50
327a	126	0,60 (1-2)	29	35	61	69	75	80	107	13	51
327n	177	0,60 (1-2)	29	35	67	76	86	93	126	16	51
329a	113	0,60 (1-2)	29	35	61	69	75	80	107	13	52
329n	157	0,60 (1-2)	29	35	67	76	86	93	126	16	52
32n	255	4,3	200	260	81	91	103	110	147	20	84
330n	187	1,4(1) 2,10(2)	100	130	61	69	75	80	107	16	82
339a	121	0,60 (1-2)	29	35	61	69	75	80	107	13	52
339n	164	0,60 (1-2)	29	35	67	76	86	93	126	16	52
347a	122	0,60 (1-2)	29	35	61	69	75	80	107	13	51
351m47 + pies G1	308	-	0	0	186	217	242	273	319	36	92
351m47 + pies G2	351	-	0	0	186	217	242	273	319	36	92
351m75 + pies G1	477	-	0	0	186	217	242	273	319	36	92
351m75 + pies G2	520	-	0	0	186	217	242	273	319	36	92
351m90 + pies G1	574	-	0	0	186	217	242	273	319	36	92
351m90 + pies G2	531	-	0	0	186	217	242	273	319	36	92
382m47 + pies G3	450	-	0	0	186	217	242	273	319	36	93
382m47 + pies G4	493	-	0	0	186	217	242	273	319	36	93
383m47	576	-	0	0	186	217	242	273	319	36	91
390a	137	1,10(1) 1,60(2)	59	90	61	69	75	80	107	13	92
390n	176	1,15(1) 1,65(2)	70	113	67	76	86	93	126	16	93
394n <i>Cojín Asiento</i>	229	4,75	200	260	81	91	103	110	147	20	74
394n <i>fijo</i>	229	4,25	200	180	81	91	103	110	147	20	74
501m2	257	-	0	0	106	121	130	140	161	22	114
506d	491	8,5	420	490	126	140	156	166	237	36	84

Del 319 al 506

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
515ca105r	274	-	0	0	94	106	114	122	147	22	115
515ca105t	248	1	72	92	94	106	114	122	147	22	115
515ca135r	310	-	0	0	129	145	156	167	194	22	115
515ca135t	272	1	76	96	129	145	156	167	194	22	115
515ca140r	333	-	0	0	129	145	156	167	194	22	115
515ca140t	293	2	76	96	129	145	156	167	194	22	115
515ca150r	349	-	0	0	129	145	156	167	194	22	115
515ca150t	306	2	81	101	129	145	156	167	194	22	115
515ca160r	389	-	0	0	129	145	156	167	194	22	115
515ca160t	344	2	82	102	129	145	156	167	194	22	115
515ca180r	418	-	0	0	129	145	156	167	194	22	115
515ca180t	367	2	92	112	129	145	156	167	194	22	115
515ca200r	452	-	0	0	129	145	156	167	194	22	115
515ca200t	398	2	102	123	129	145	156	167	194	22	115
515ca90r	259	-	0	0	94	106	114	122	147	22	115
515ca90t	234	1	69	89	94	106	114	122	147	22	115
515cm105r	579	-	0	0	212	238	255	272	301	31	114
515cm105t	553	1	72	92	212	238	255	272	301	31	114
515cm135r	638	-	0	0	257	290	311	333	388	31	114
515cm135t	599	1	76	96	257	290	311	333	388	31	114
515cm140r	663	-	0	0	257	290	311	333	388	31	114
515cm140t	621	2	76	96	257	290	311	333	388	31	114
515cm150r	702	-	0	0	257	290	311	333	388	31	114
515cm150t	657	2	81	101	257	290	311	333	388	31	114
515cm160r	743	-	0	0	257	290	311	333	388	31	114
515cm160t	697	2	82	102	257	290	311	333	388	31	114
515cm180r	795	-	0	0	257	290	311	333	388	31	114
515cm180t	743	2	92	112	257	290	311	333	388	31	114
515cm200r	852	-	0	0	257	290	311	333	388	31	114
515cm200t	796	2	102	123	257	290	311	333	388	31	114
515cm90r	564	-	0	0	212	238	255	272	301	31	114
515cm90t	538	1	69	89	212	238	255	272	301	31	114
524al	115	1,10(1) 1,60(2)	55	84	61	69	75	80	107	13	29
524ar	135	0,60(1) 0,75(2)	50	67	61	69	75	80	107	13	28
524nl	175	1,15(1) 1,65(2)	66	106	67	76	86	93	126	16	29
524nr	195	0,65(1) 0,80(2)	60	80	67	76	86	93	126	16	28
526b-100	187	0,7	14	56	106	121	130	140	161	16	55
526b-65	173	0,7	10	52	94	106	115	123	146	16	55
527ac	142	0,60 (1-2)	29	35	65	74	80	86	107	13	53
527al	130	0,60 (1-2)	29	35	65	74	80	86	107	13	53
528m-150 +PT	364	-	0	0	180	205	222	238	277	36	95
528m-150 +PC	364	-	0	0	180	205	222	238	277	36	95
528m-90 +PT	279	-	0	0	131	148	160	171	205	36	95
528m-90 +PC	279	-	0	0	131	148	160	171	205	36	95

Del 515 al 528

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
533b-100	137	0,6	29	35	52	58	62	66	94	13	54
533b-65	126	0,6	29	35	52	58	62	66	94	13	54
534b-100	122	0,85	83	109	52	58	62	66	94	13	54
534b-65	112	0,85	68	95	46	51	55	59	81	13	54
535me + PC	765	-	0	0	309	351	379	407	480	36	94
535me + PT	765	-	0	0	309	351	379	407	480	36	94
539k	986	-	0	0	309	351	379	407	480	36	120
540ap	1201	-	0	0	309	351	379	407	480	36	120
556ap	1200	-	0	0	309	351	379	407	480	36	121
557vi	1071	-	0	0	407	459	494	529	611	54	122
558ve	1543	-	0	0	494	544	581	618	292	54	123
667a	112	1,30(1) 2,00(2)	78	115	46	51	55	59	81	13	41
680b-100	120	0,5	32	40	52	58	62	66	94	13	57
680b-65	94	0,50 (1-2)	28	36	52	58	62	66	94	13	57
681al	126	1,10(1) 1,60(2)	34	58	61	69	75	80	107	13	49
681ar	144	0,60(1) 0,75(2)	29	40	61	69	75	80	107	13	49
682al	126	1,10(1) 1,60(2)	34	58	61	69	75	80	107	13	48
682ar	144	0,60(1) 0,75(2)	29	40	61	69	75	80	107	13	48
683co-100	317	-	0	0	106	121	130	140	161	27	90
683co-100 + 683ba-100	360	-	0	0	115	131	142	152	172	27	90
683co-140	360	-	0	0	106	121	130	140	161	27	90
683co-140 + 683ba-140	410	-	0	0	115	131	142	152	172	27	90
694f-130	210	3,2	260	320	45	49	53	55	74	31	80
694n	126	2	164	194	45	49	53	55	74	20	81
697a	223	0,65(1) 0,80(2)	50	67	65	74	80	86	107	16	31
697n	281	0,60(1) 0,75(2)	55	74	75	85	97	104	141	13	31
698m-140-pch	1079	-	0	0	334	384	417	451	493	0	105
698m-140- pdsp	1092	-	0	0	334	384	417	451	493	0	105
699m-130	796	-	0	0	244	281	305	329	377	0	104
699m-150	812	-	0	0	334	384	417	451	493	0	104
701m-120	796	-	0	0	334	384	417	451	493	0	104
701m-140	812	-	0	0	334	384	417	451	493	0	104
738ca150	1745	0	0	0	390	411	431	464	534	50	
738ca160	1745	0	0	0	390	411	431	464	534	50	
738ca180	1910	0	0	0	497	524	550	592	681	50	
738ca200	1910	0	0	0	497	524	550	592	681	50	
738cm150	3128	0	0	0	653	689	723	778	894	80	
738cm160	3128	0	0	0	653	689	723	778	894	80	
738cm180	3418	0	0	0	748	789	828	891	1024	80	
738cm200	3418	0	0	0	748	789	828	891	1024	80	
738m2	315	-	0	0	106	121	130	140	161	13	
789n	232	3,75	200	272	81	91	103	110	147	20	71
789n <i>Capitoné</i>	232	4	200	372	81	91	103	110	147	20	71

Del 533 al 789

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
Coral-130 + Pies 3t	1013	-	0	0	334	384	417	451	493	0	97
Coral-130 + Pies 4t	1041	-	0	0	334	384	417	451	493	0	97
Coral-130 + Pies 7c	1013	-	0	0	334	384	417	451	493	0	97
Coral-140 + Pies 3t	1017	-	0	0	334	384	417	451	493	0	97
Coral-140 + Pies 4t	1045	-	0	0	334	384	417	451	493	0	97
Coral-140 + Pies 7c	1017	-	0	0	334	384	417	451	493	0	97
Coral-165 + Pies 3t	1036	-	0	0	334	384	417	451	493	0	97
Coral-165 + Pies 4t	1064	-	0	0	334	384	417	451	493	0	97
Coral-165 + Pies 7c	1036	-	0	0	334	384	417	451	493	0	97
cp-1	254	-	0	0	0	0	0	0	0	20	98
cp-2	454	-	0	0	0	0	0	0	0	25	98
ctl-1	344	-	0	0	0	0	0	0	0	20	98
ctl-2	600	-	0	0	0	0	0	0	0	25	98
ctr-1	392	-	0	0	0	0	0	0	0	20	98
ctr-2	720	-	0	0	0	0	0	0	0	25	98
fil	32	-	0	0	0	0	0	0	0	0	98
lup	175	-	0	0	0	0	0	0	0	0	98
me-01-130	956	0	0	0	244	281	305	329	377	0	101
me-01-140	999	0	0	0	334	384	417	451	493	0	101
me-02-165	1276	0	0	0	334	384	417	451	493	0	101
me-02-180	1318	0	0	0	334	384	417	451	493	0	101
mp-02L-140	1091	0	0	0	334	384	417	451	493	0	103
mp-02L-165	1100	0	0	0	334	384	417	451	493	0	103
mp-02L-180	1107	-	0	0	334	384	417	451	493	0	103
mp-03P-140	1120	-	0	0	334	384	417	451	493	0	103
mp-03P-165	1129	-	0	0	334	384	417	451	493	0	103
mp-03P-180	1136	-	0	0	334	384	417	451	493	0	103
mp-05R-140	1211	-	0	0	334	384	417	451	493	0	103
mp-05R-165	1220	-	0	0	334	384	417	451	493	0	103
mp-05R-180	1227	-	0	0	334	384	417	451	493	0	103
mrc-02-140	1104	0	0	0	334	384	417	451	493	0	102
mrc-02-160	1111	0	0	0	334	384	417	451	493	0	102
mrc-02-180	1118	0	0	0	334	384	417	451	493	0	102
mrc-04-140	841	0	0	0	334	384	417	451	493	0	102
mrc-04-160	848	0	0	0	334	384	417	451	493	0	102
mrc-04-180	855	0	0	0	334	384	417	451	493	0	102
mrd-01-100	955	0	0	0	186	217	242	273	319	0	101
mrd-01-110	963	0	0	0	186	217	242	273	319	0	101
mrd-01-115	972	0	0	0	244	281	305	329	377	0	101
mrd-01-120	1024	0	0	0	244	281	305	329	377	0	101
mrd-01-90	948	0	0	0	186	217	242	273	319	0	101
mrd-04-100	657	0	0	0	186	217	242	273	319	0	100
mrd-04-110	665	0	0	0	186	217	242	273	319	0	100
mrd-04-115	674	0	0	0	244	281	305	329	377	0	100
mrd-04-120	726	0	0	0	244	281	305	329	377	0	100
mrd-04-90	650	0	0	0	186	217	242	273	319	0	100

De Coral a Mrd

Modelo	Estructura	Tapizados			Acabados Barnizados					Embalaje	Pág.
		Metraje	Pretap.	Tela	G1	G2	G3	G4	G5		
<u>mrl-115</u>	940	-	0	0	244	281	305	329	377	36	96
<u>mrl-180</u>	1020	-	0	0	334	384	417	451	493	36	96
<u>noq</u>	85	-	0	0	0	0	0	0	0	0	98
<u>pm-115-135</u>	0	0	0	0	244	281	305	329	377	0	98
<u>pm-140-180</u>	0	0	0	0	334	384	417	451	493	0	98
<u>pm-90-110</u>	0	0	0	0	186	217	242	273	319	0	98
<u>rob</u>	36	-	0	0	0	0	0	0	0	0	98
<u>te-130</u>	499	-	0	0	244	281	305	329	377	36	98
<u>te-140</u>	542	-	0	0	334	384	417	451	493	36	98
<u>te-165</u>	563	-	0	0	334	384	417	451	493	36	98
<u>te-180</u>	605	-	0	0	334	384	417	451	493	36	98
<u>tir02</u>	6	-	0	0	0	0	0	0	0	0	119
<u>tir03</u>	6	-	0	0	0	0	0	0	0	0	119
<u>tir04</u>	6	-	0	0	0	0	0	0	0	0	119
<u>tir05</u>	6	-	0	0	0	0	0	0	0	0	119
<u>tir06</u>	9	-	0	0	0	0	0	0	0	0	119
<u>tir07</u>	9	-	0	0	0	0	0	0	0	0	119
<u>tir08</u>	7	-	0	0	0	0	0	0	0	0	119
<u>tir09</u>	7	-	0	0	0	0	0	0	0	0	119
<u>tir10</u>	9	-	0	0	0	0	0	0	0	0	119
<u>tir11</u>	7	-	0	0	0	0	0	0	0	0	119
<u>tir12</u>	5	-	0	0	0	0	0	0	0	0	119
<u>tir14</u>	7	-	0	0	0	0	0	0	0	0	119
<u>tp-140</u>	495	-	0	0	334	384	417	451	493	36	98
<u>tp-165</u>	504	-	0	0	334	384	417	451	493	36	98
<u>tp-180</u>	511	-	0	0	334	384	417	451	493	36	98
<u>trc-140</u>	508	-	0	0	334	384	417	451	493	36	98
<u>trc-160</u>	515	-	0	0	334	384	417	451	493	36	98
<u>trc-180</u>	522	-	0	0	334	384	417	451	493	36	98
<u>trd-100</u>	392	-	0	0	186	217	242	273	319	36	98
<u>trd-110</u>	400	-	0	0	186	217	242	273	319	36	98
<u>trd-115</u>	409	-	0	0	244	281	305	329	377	36	98
<u>trd-120</u>	461	-	0	0	244	281	305	329	377	36	98
<u>trd-90</u>	385	-	0	0	186	217	242	273	319	36	98

De Mrl a Trd